

FULL TIME

Ottoman



FTC-30

30° CURVE x 18"H

FULL TIME



30° Curve



60° Curve




Round



Half Round




Pentagon



Square



Rectangle



Crescent

FULL TIME

- All Full Time ottomans have an 18" seat height.
- Fully upholstered seat is 2" of high density foam on a 1" thick assembled wood frame.
- Available with steel legs, casters or oak post legs.
- Steel legs are fitted with a threaded weld nut and 1-7/8" ABS black leveling glide. Default powder coat is 809 Silver.
- FTD-20 models receive (5) 50mm casters, all other models receive (4) or (5) 75mm casters.
- FTC-30 is designed to conform to the concave side of a Drift curved mobile bookcase, 90° Cirrus curved table and Cheesewall privacy divider.
- FTC-60 is the equivalent of (2) FTC-30s (60° curve).

CURVE STANDARD SIZES

MODEL	CURVE	RETURNS"	HEIGHT"
FTC-30	30°	24	18
FTC-60	60°	24	18

ROUND STANDARD SIZES

MODEL	DIA.	HEIGHT"
FTD-20	20	18
FTD-30	30	18
FTD-36	36	18
FTD-51	51	18

HALF ROUND STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
FTHD-48	24	48	18

To Order, Choose Finish Selections & Options

Seat: Choose fabric for seat cushion.

Steel Legs: Choose from our selection of powder coats.

See **mediatechnologies'** Finish selections at <https://www.mediatechnologies.com/resources/finishes>
View our fabric choices at <https://www.mediatechnologies.com/resources/fabrics>

PENTAGON STANDARD SIZES

MODEL	RETURNS"	HEIGHT"
FTP-18	18	18
FTP-24	24	18

CRESCENT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
SCO-0020	17	20	18
SCO-0030	25	30	18
SCO-0036	30	36	18
SCO-0051	43	51	18

SQUARE STANDARD SIZES

MODEL	WIDTH"	HEIGHT"
FTS-2424	24	18
FTS-3636	36	18

RECTANGLE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
FTR-1836	18	36	18
FTR-2436	24	36	18
FTR-2448	24	48	18

General Specifications

Seat: Fully upholstered seat fabricated in round, pentagonal, square, rectangular and curve shapes. Seat basis is 2" of high density foam on a 1" thick assembled frame. Visit the mediatechnologies' website for fabric selection options.

Models with Leg Assemblies: Steel post legs are fabricated from 5/16" plate steel and include a curved profile with a square mounting plate and a pair of decorative gussets. The bottom of each leg is fitted with a threaded weld nut and 1-7/8" black leveling glide. Wood legs are 3-1/3" x 3-1/2" hardwood with a 45 degree chamfer at the bottom edge. Wood post legs are attached 5/16"-18 bolt, washer and propeller nut.


Models with Casters: Casters are mounted to the base with a square mounting plate. FTD-20 models receive (5) 50mm casters, all other models receive (4) or (5) 75mm casters.

FULL TIME

Ottomans at Work



Full Time Legs & Casters



Standard Steel Leg



Caster



Oak Post Leg

LEG & Caster Descriptions

Metal legs are fabricated of 5/16" plate steel and include a square mounting plate and a pair of decorative gussets. The bottom of each leg is fitted with a threaded weld nut and 1-7/8" ABS black leveling glide.

Other leg options include:

- 50mm casters for FTD-20 models.
- 75mm casters for other models.
- Oak post 3-1/2" x 3-1/2" with a 45° chamfer bottom edge. Posts are attached via 5/16"-18 bolt, washer and propeller nut.



Want it with casters or oak post legs?

FTD-20-5C

Add the following suffix to the model number...

- 4C for four casters
- 5C for five casters (pentagon, round, crescent)
- 4W for 4 oak post legs
- 5W for five oak post legs (pentagon, round, crescent)



DUET power unit
ADUF-1P2U-72-W

DUET

- For use in upholstered furniture.
- 1 Power / 1 Dual USB.
- 2 amps each USB charging port.
- UL Listed.
- Face mount shown.
- White, silver and black face plate available.
- 72" and 120" cords available.

! Connectivity panels can only be mounted on the flat vertical surfaces of Full Time ottomans.

Possible Nested Fulltime configurations:



cs-fulltime-200406

892 Industrial Park Drive
Shelby, MI 49455
P: 231.861.2194
F: 231.861.6678
www.mediatechnologies.com
sales@mediatechnologies.com

PURE MICHIGAN®