

# WORK+BOX ISLAND

## Tables



WBXI-C6060CL (Top)  
WBXI-CS3D3029-TT-MOB (Cabinet)

60"D X 60"W X 1.25"THICK  
30"D X 30"W X 27.75"H

# WORK+BOX ISLAND



## 1. Pick your Top

Each top is 1-1/4" thick engineered wood with high pressure laminate surface or 1-3/4" thick Maple Butcher Block work surface. Choose a high pressure laminate and make a PVC selection for your edgeband, if applicable. Butcher Block top is self-edged.



## 2. Pick your Cabinet

Each cabinet base is double-sided, with the same configuration on both sides. Cabinet footprint is 30"D x 30"W for all configurations. Bases are available that, when assembled with top, are 29", 36" and 42"H. Choose a high pressure laminate or a melamine for your cabinet finish and make a PVC selection for your edgeband.

If your selection has doors, you will need to make a lock selection. Door lock options include None (no lock), Alike, Group and Individual.



## 3. Pick your Options

Power? Other connectivity? Go to our **Connect** brochure downloadable from our website.



## 4. Pick your Seating

View our fabulous seating options at [www.mediatechnologies.com/products/seating](http://www.mediatechnologies.com/products/seating)



### WORK+BOX ISLAND TOP SIZES

MODEL	DEPTH"	WIDTH"	THICK"
<b>CLOVER</b>			
WBXI-C4848CL	48	48	1.25
WBXI-C5454CL	54	54	1.25
WBXI-C6060CL	60	60	1.25
<b>ROUND</b>			
WBXI-C0048D	48	DIA	1.25
WBXI-C0054D	54	DIA	1.25
WBXI-C0060D	60	DIA	1.25
<b>RADIUSED SQUARE</b>			
WBXI-C4848R	48	48	1.25
WBXI-C5454R	54	54	1.25
WBXI-C6060R	60	60	1.25
<b>MACAROON</b>			
WBXI-C5472MC	54	72	1.25
<b>1-3/4" THICK MAPLE BUTCHER BLOCK - ROUND</b>			
WBXI-BB0048D	48	48	1.75
WBXI-BB0054D	54	54	1.75
WBXI-BB0060D	60	60	1.75
<b>1-3/4" THICK MAPLE BUTCHER BLOCK - SQUARE WITH RADIUSED CORNERS</b>			
WBXI-BB4848R	48	48	1.75
WBXI-BB5454R	54	54	1.75
WBXI-BB6060R	60	60	1.75

### WORK+BOX ISLAND CABINET SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
<b>CUPBOARD STORAGE, DRAWERS &amp; OPEN STORAGE</b>			
WBXI-CS3D3029-__-MOB	30	30	27.75
WBXI-CS4D3036-__-MOB	30	30	34.75
WBXI-CS4D3042-__-MOB	30	30	40.75

### OPEN STORAGE

WBXI-OS3029-__-MOB	30	30	27.75
WBXI-OS3036-__-MOB	30	30	34.75
WBXI-OS3042-__-MOB	30	30	40.75

### CUPBOARD STORAGE

WBXI-CS3029-__-MOB	30	30	27.75
WBXI-CS3036-__-MOB	30	30	34.75
WBXI-CS3042-__-MOB	30	30	40.75

### OPEN TOTE STORAGE-TOTES SOLD SEPARATELY

WBXI-OT3329-__-MO3	33	33	27.75
WBXI-OT3336-__-MOB	33	33	34.75
WBXI-OT3342-__-MOB	33	33	40.75

Note: Totes are not included and are sold separately. Image to the left is conceptual and does not represent an accurate number of totes.

# WORK+BOX ISLAND



## WORK+BOX ISLAND

**Our Clover table created so much excitement, we decided to expand the possibilities for you. Plus, we thought we would let you put together your own table...**

- Choose from four shapes and multiple sizes of worksurface. Work surfaces are 1-1/4" high pressure laminate with PVC edge-banding, or 1-3/4" thick maple butcher block top is also a standard top option in Round and Radiused Corner Square shapes.  
**Note:** Butcher block tops receive a clear finish. Quantities of 12 or more are available in additional colors. Contact the factory for details.
- Choose from four 2-sided mobile cabinet configurations, each available in 29", 36" and 42" heights.
- Locking casters are **standard**.
- Cabinet available in high-pressure laminate or melamine.
- Loop pulls (P2) for doors and drawers and concealed hinges (H3).

### EDGE TYPE



### CASTERS



**Work+Box Island mobile cabinet-base tables are available in component form. To order a Work+Box Island mobile cabinet-base table, order each component, top and cabinet, as a separate line item.**



892 Industrial Park Drive  
Shelby, MI 49455  
P: 231.861.2194  
F: 231.861.6678  
www.mediatechnologies.com  
sales@mediatechnologies.com

## To Order, Choose Finish Selections & Options

**Work surface:** Choose from our selection of high pressure laminates or a butcher block top.

**Edges:** Choose from our selection of PVC edgebands.

**Shelves:** Choose from our selection of high-pressure laminates, if applicable.

**Cabinet:** Choose from our high-pressure laminates or melamines for your cabinet finish and doors, if applicable.

See **mediatechnologies**<sup>®</sup> finish selections at  
<https://www.mediatechnologies.com/resources/finishes>

## General Specifications

**Table Top:** available work surfaces are 1 1/4" thick, three ply 45# particleboard construction with .050" high pressure laminate top surface and a .030" phenolic backer. Edge is 3mm PVC with a 1/8" radius top and bottom. Available work surface shapes are Round, Square with radiused corners, "Clover" and "Macaroon". A 1-3/4" thick maple butcher block work surface is available in square with radiused corners or round shapes.

**Cabinet Base:** main cabinet modules are constructed of 3/4" thick three ply particleboard with either high pressure laminate or thermally fused laminate throughout, with exception of base, which is 1-1/4" thick. Cabinets are assembled using glue and dowel joinery.

**Cupboard Door:** is constructed of 3/4" thick, three ply particleboard with high pressure laminate or thermally fused laminate faces and edged on all sides with 3mm PVC. Door hardware includes concealed hinges (H3), fully adjustable in all 3 axes and loop pulls (P2). Door lock options include None (no lock), Alike, Group and Individual.

**Adjustable Cupboard Shelf:** is 3/4" thick three ply engineered wood with high pressure laminate faces. The exposed edges are edged with 3mm PVC. Shelves are adjustable on 32mm increments.

**Full 4-Sided Drawer Boxes:** use 3/4" thick material with high pressure laminate or thermally fused laminate with 3mm PVC edges. Drawers feature loop pulls (P2) and a full-extension slide. Drawers are non-locking.

**Stop-n-Tilt Tote Rails:** are mounted on 4-1/4" centers to allow for the use of F1TBA and F2TBB totes.

3" casters are mounted to bottom through a steel plate using 4 wood screws each.

cs-work+boxisland-201005