

ROCKFORD FIXED HEIGHT

Tables



RF-C4565RL-29

45"D X 65"W X 29"H

ROCKFORD FIXED HEIGHT

Rectangle



ROCKFORD RECTANGLE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RF-C2436-	24	36	25, 27, 29, 31
RF-C2442-	24	42	25, 27, 29, 31
RF-C2448-	24	48	25, 27, 29, 31
RF-C2460-	24	60	25, 27, 29, 31
RF-C2472-	24	72	25, 27, 29, 31
RF-C3036-	30	36	25, 27, 29, 31
RF-C3042-	30	42	25, 27, 29, 31
RF-C3048-	30	48	25, 27, 29, 31
RF-C3060-	30	60	25, 27, 29, 31
RF-C3072-	30	72	25, 27, 29, 31

Round



ROCKFORD ROUND STANDARD SIZES

MODEL	DIAMETER"	HEIGHT"
RF-C0042-	42	25, 27, 29, 31
RF-C0048-	48	25, 27, 29, 31
RF-C0060-	60	25, 27, 29, 31

Square



ROCKFORD SQUARE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RF-C4242	42	42	25, 27, 29, 31
RF-C4848	48	48	25, 27, 29, 31
RF-C6060	60	60	25, 27, 29, 31

Squircle



ROCKFORD SQUIRCLE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RF-C3636SQR-	36	36	25, 27, 29, 31
RF-C4242SQR-	42	42	25, 27, 29, 31
RF-C4848SQR-	48	48	25, 27, 29, 31
RF-C5454SQR-	54	54	25, 27, 29, 31
RF-C6060SQR-	60	60	25, 27, 29, 31

Quarter Round



ROCKFORD QTR ROUND STANDARD SIZES

MODEL	RADIUS	HEIGHT"
RF-C36QR-	24/36	25, 27, 29, 31

Trapezoid



ROCKFORD TRAPEZOID STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RF-C30TRP-	30	30	25, 27, 29, 31

Pickle



ROCKFORD PICKLE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RF-C3660G-	36	60	25, 27, 29, 31

Beanie



ROCKFORD BEANIE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RF-C3060BNR-	30	58.375	25, 27, 29, 31

Flair



ROCKFORD FLAIR STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RF-C3060FLR-	32.25	59.5	25, 27, 29, 31

Wave



ROCKFORD WAVE STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RF-C3060WR-	32.5	59.5	25, 27, 29, 31

Raetsel



ROCKFORD RAETSEL STANDARD SIZE

MODEL	DEPTH"	WIDTH"	HEIGHT"
RF-C4565RL-	45	65	25, 27, 29, 31

Pick



ROCKFORD DIAMOND STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RFP-C2728-	27	28	25, 27, 29, 31
RFP-C4042-	40	42	25, 27, 29, 31

"D" Shape



ROCKFORD "D" STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RF-C3672D-	36	72	25, 27, 29, 31
RF-C4872D-	48	72	25, 27, 29, 31
RF-C6072D-	60	72	25, 27, 29, 31

Sprocket



ROCKFORD SPROCKET STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RF-C6060S-	60	60	25, 27, 29, 31

Secil



ROCKFORD SECIL STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RF-C3772SC-	37	72	25, 27, 29, 31

Diamond



ROCKFORD DIAMOND STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RF-C3242DM-	32	42	25, 27, 29, 31
RF-C3746DM-	37	46	25, 27, 29, 31

Crescent



ROCKFORD CRESCENT STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RF-C3672CR-	36	72	25, 27, 29, 31

Clover



ROCKFORD CLOVER STANDARD SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
RF-C4848CL-	48	48	25, 27, 29, 31
RF-C6060CL-	60	60	25, 27, 29, 31

Pac Man



ROCKFORD PAC MAN STANDARD SIZES

MODEL	DIAMETER	HEIGHT"
RF-C0036PAC-	36	25, 27, 29, 31
RF-C0042PAC-	42	25, 27, 29, 31
RF-C0048PAC-	48	25, 27, 29, 31

Note: 25"H tables are all-glides. 31"H tables are all casters.

ROCKFORD FIXED HEIGHT



RF-C3060BNR-29
Beanie



RF-C3060WR-29
Wave



RF-C3030S-29
Sprocket



RF-C3772SC-29
Secil

ROCKFORD FIXED HEIGHT TABLES

- A variety of shapes and sizes allow collaboration in an ever-changing environment.
 - 1-1/4" thick top with high-pressure laminate work surface and PVC edgebanding.
 - 1-1/2" diameter powder coated steel tube legs with a reinforcement gusset. Legs available with leveling glides and/or locking casters.
 - Most tables available with all glides, 2 casters (wheelbarrow) or all casters.
- Note:** 25" H tables are glides-only. 31"H tables are 4 casters only.

To Order, Choose Finish Selections & Options

Work Surface: Choose from our selection of high-pressure laminates.

Edge: Choose from our selection of PVC edges.

Note: Sprocket, Beanie and Flair-top tables receive 2" radius corners.

Base: Choose from our selection of powder coats.

See **mediatechnologies**' finish selections at <https://www.mediatechnologies.com/resources/finishes>

EDGE TYPES



C
3mm
PVC

CORNERS



Squared
Corners



Radiused
Corners

CASTERS



ACCESSORIES



Surfboard
SFB-1824

General Specifications

Work Surface: Table tops are 1-1/4" thick, with a 1-1/8" thick, three-ply particle-board core with .050 high-pressure laminate top and a .030" or thicker phenolic backer. Edges are 3mm PVC.

Legs: Each leg is composed of a powder coated 14-gauge, 1-1/2" diameter steel tube with a welded mounting plate that is 1/8" thick steel, welded to leg at the top and a reinforcement gusset of 1/8" thick steel, welded to mounting plate and leg tube. Each leg is provided with a leveling glide at the bottom.

Gusset: 1/8" thick steel, welded to mounting plate and outer tube.

Mounting Plate: 1/8" thick steel, welded to outer tube and gusset. Each leg is mounted to the table with seven (7) 1" #12 wood screws. Insert & machine thread screw (metal-to-metal) available upon request.

Finish: See mediatechnologies® Finish and Color Guide for choices.



cs-rockford-fixedheight-220110

892 Industrial Park Drive
Shelby, MI 49455
P: 231.861.2194
F: 231.861.6678
www.mediatechnologies.com
sales@mediatechnologies.com

PURE MICHIGAN®