

# WORK+BOX ISLAND

## Tables



WBXI-C6060CL (Top)  
WBXI-CS3D3029-TT-MOB (Cabinet)

60"D X 60"W X 1.25"THICK  
30"D X 30"W X 27.75"H

# WORK+BOX ISLAND



## 1. Pick your Top

Each top is 1-1/4" thick engineered wood with high pressure laminate surface or 1-3/4" thick Maple Butcher Block work surface. Choose a high pressure laminate and make a PVC selection for your edgeband, if applicable. Butcher Block top is self-edged.



## 2. Pick your Cabinet

Each cabinet base is double-sided, with the same configuration on both sides. Cabinet footprint is 30"D x 30"W for all configurations. Bases are available that, when assembled with top, are 29", 36" and 42"H. Choose a high pressure laminate or a melamine for your cabinet finish and make a PVC selection for your edgeband.

If your selection has doors, you will need to make a lock selection. Door lock options include None (no lock), Alike, Group and Individual.



## 3. Pick your Options

Power? Other connectivity? Go to our **Connect** brochure, downloadable from our website.



## 4. Pick your Seating

View our fabulous seating options at [www.mediatechnologies.com/products/seating](http://www.mediatechnologies.com/products/seating)



### WORK+BOX ISLAND TOP SIZES

MODEL	DEPTH"	WIDTH"	THICK"
<b>CLOVER</b>			
WBXI-C4848CL	48	48	1.25
WBXI-C5454CL	54	54	1.25
WBXI-C6060CL	60	60	1.25
<b>ROUND</b>			
WBXI-C0048D	48	DIA	1.25
WBXI-C0054D	54	DIA	1.25
WBXI-C0060D	60	DIA	1.25
<b>RADIUSED SQUARE</b>			
WBXI-C4848R	48	48	1.25
WBXI-C5454R	54	54	1.25
WBXI-C6060R	60	60	1.25
<b>MACAROON</b>			
WBXI-C5472AP	54	72	1.25
<b>1-3/4" THICK MAPLE BUTCHER BLOCK - ROUND</b>			
WBXI-BB0048D	48	48	1.75
WBXI-BB0054D	54	54	1.75
WBXI-BB0060D	60	60	1.75
<b>1-3/4" THICK MAPLE BUTCHER BLOCK - SQUARE WITH RADIUSED CORNERS</b>			
WBXI-BB4848R	48	48	1.75
WBXI-BB5454R	54	54	1.75
WBXI-BB6060R	60	60	1.75

### WORK+BOX ISLAND CABINET SIZES

MODEL	DEPTH"	WIDTH"	HEIGHT"
<b>CUPBOARD STORAGE, DRAWERS &amp; OPEN STORAGE</b>			
WBXI-CS3D3029-__-MOB	30	30	27.75
WBXI-CS4D3036-__-MOB	30	30	34.75
WBXI-CS4D3042-__-MOB	30	30	40.75
<b>OPEN STORAGE</b>			
WBXI-OS3029-__-MOB	30	30	27.75
WBXI-OS3036-__-MOB	30	30	34.75
WBXI-OS3042-__-MOB	30	30	40.75
<b>CUPBOARD STORAGE</b>			
WBXI-CS3029-__-MOB	30	30	27.75
WBXI-CS3036-__-MOB	30	30	34.75
WBXI-CS3042-__-MOB	30	30	40.75
<b>OPEN TOTE STORAGE-TOTES SOLD SEPARATELY</b>			
WBXI-TOT3329-__-MO3	33	33	27.75
WBXI-TOT3336-__-MOB	33	33	34.75
WBXI-TOT3342-__-MOB	33	33	40.75

Note: Totes are not included and are sold separately. Image to the left is conceptual and does not represent an accurate number of totes.

# WORK+BOX ISLAND



Top: WBXI-C5454CL  
Cabinet: WBXI-CS4D3036-LL-MOB

## WORK+BOX ISLAND

Our Clover table created so much excitement, we decided to expand the possibilities for you. Plus, we thought we would let you put together your own table...

- Choose from four shapes and multiple sizes of worksurface. Work surfaces are 1-1/4" high pressure laminate with PVC edge-banding, or 1-3/4" thick maple butcher block top is also a standard top option in Round and Radiused Corner Square shapes.  
**Note:** Butcher block tops receive a clear finish. Quantities of 12 or more are available in additional colors. Contact the factory for details.
- Choose from four 2-sided mobile cabinet configurations, each available in 29", 36" and 42" heights.
- Locking casters are **standard**.
- Cabinet available in high-pressure laminate or melamine.
- Loop pulls (P2) for doors and drawers and concealed hinges (H3).

### EDGE TYPE



C  
3mm  
PVC

### CASTERS



Locking  
Caster

Work+Box Island mobile cabinet-base tables are available in component form. To order a Work+Box Island mobile cabinet-base table, order each component, top and cabinet, as a separate line item.

## To Order, Choose Finish Selections & Options

**Work surface:** Choose from our selection of high pressure laminates or a butcher block top.

**Edges:** Choose from our selection of PVC edgebands.

**Shelves:** Choose from our selection of high-pressure laminates, if applicable.

**Cabinet:** Choose from our high-pressure laminates or melamines for your cabinet finish and doors, if applicable.

See **mediatechnologies'** finish selections at <https://www.mediatechnologies.com/resources/finishes>

## General Specifications

**Table Top:** Available worksurfaces are 1/4" thick, three ply 45# particleboard construction with .050" high pressure laminate top surface and a .030" phenolic backer. Edge is 3mm PVC with a 1/8" radius top and bottom. Available worksurface shapes are Round, Square with Radiused corners, "Clover" and "Macaroon". A 1-3/4" thick maple butcher block worksurface is available in square with radiused corners or round shapes.

**Cabinet Base:** Main cabinet modules are constructed of 3/4" thick three ply particleboard with either high-pressure laminate or thermally fused laminate throughout, with exception of base, which is 1-1/4" thick. Cabinets are assembled using glue and dowel joinery.

**Cupboard Door:** is constructed of 3/4" thick, three ply particleboard with high pressure laminate or thermally fused laminate faces and edged on all sides with 3mm PVC. Door hardware includes loop pulls (P2) and concealed hinges (H3), fully adjustable in all 3 axes.

**Adjustable Cupboard Shelf:** is 3/4" thick three ply engineered wood with high-pressure laminate faces. The exposed edges are edged with 3mm PVC. Shelves are adjustable on 32mm increments.

**Full 4-sided Drawer Boxes:** use 3/4" thick material with high-pressure laminate or thermally fused laminate with 3mm PVC edges. Drawers feature loop pulls (P2) and a full-extension slide.

TOTR Toto Tote Rails are mounted to allow for the use of TOT03- & TOT06- Toto Totes. Totes are sold separately and can be found at: <https://www.mediatechnologies.com/product/totes>

3" casters are mounted to bottom through a steel plate using 4 wood screws each.



892 Industrial Park Drive  
Shelby, MI 49455  
P: 231.861.2194  
F: 231.861.6678  
[www.mediatechnologies.com](http://www.mediatechnologies.com)  
[sales@mediatechnologies.com](mailto:sales@mediatechnologies.com)

cs-work+boxisland-210507

PURE MICHIGAN®