



Elements

Modular Track-Mounted Storage & Visual Display Tiles

A wide range of base, wall and tall modular storage units that can be mixed and matched to meet your required storage needs.

Transition

Track-Mounted Shelving & Storage Components

A shelving line that allows you to easily add, subtract and reconfigure by adding or subtracting transition components.

Ewall

Track-Mounted, Wall-mounted or Freestanding Self-Contained Design

Units consolidate Video Monitor, Whiteboard and Storage to free up floor space for more learners.



Tempo

Musical Instrument Storage

Music storage solutions. Open, solid doors, or wire grille compartment doors & modules.

Definitions

Wall-mounted Casegoods modular unit design

Traditional casegood solutions. Drawer, cupboard, open, wardrobe and locker solutions.



Contact Us & More

Warranty:

All standard products manufactured by Mediatechnologies LLC, unless otherwise covered by a product specific guarantee and or warranty, are guaranteed against defective material and workmanship for a period of five (5) years from the date of purchase. Fabrics are warrantied for period of one (1) year.

Mediatechnologies LLC does not warranty any product or hardware which has been installed incorrectly, exposed to high humidity, moisture and extreme temperatures for long periods, excessive loads, misuse, abuse or was not manufactured by Mediatechnologies LLC.

We will repair or replace, at our discretion, any defective item without cost to our customer. This is customer's sole and exclusive remedy against us. No delay in shipment or delivery shall give rise to any liability for damages whatsoever. We are not liable for defects caused by customer or any third party. Customer is not authorized to make any repairs whatsoever or to deduct any amount from the purchase price.

In no event shall our liability under this warranty exceed the purchase price. In no event shall we be liable for incidental, special or consequential damages. We disclaim all other warranties, express or implied, as to any matter whatsoever, including without limitation, quality, design, performance, specifications, samples, condition, merchantability and fitness for any particular purpose. No action may be commenced for breach of this warranty more than six months after the cause of action accrues and any such action may only be brought in the county of Oceana, State of Michigan.

Shipping:

All orders will be shipped F.O.B. shipping point with freight charged collect. Shipping weights listed are net

Shipments will be routed "best way" or as specified. Instructions will be followed as closely as possible, however, Mediatechnologies reserves the right to make changes due to local conditions or other circumstances.

Legal title to merchandise passes to the buyer upon acceptance by the carrier. All cartons must be carefully inspected at the time of delivery. Visible damage should be noted on the delivery receipt. In the case of concealed damage, the carrier must be notified within ten (10) days. It is the buyer's obligation to seek recourse against the shipper.

Shipments should be inspected upon receipt for shortages. Shortages must be reported to Mediatechnologies in writing within fifteen (15) days of receipt.

Shipping Address 892 Industrial Park Dr. Shelby, MI 49455

Our Promise:

Mediatechnologies believes in value that is built to last, right here in the USA. Our products are manufactured on-site and provide skilled trades careers to our small community. You can count on a quality experience with Mediatechnologies from concept through delivery and for years afterword.



Making the case for

TRACK-MOUNTED CASEWORK.

Flexibility is a necessity.

We already know about the flexibility benefits of mobile furniture in the center of the room. Let's re-frame the way we look at perimeter storage - casework.

Let's make casework flexible!

8 great reasons to choose Elements® and Transitions.

- 1. Ability to Repurpose. Easily. Fixed casework is no longer fixed and can be used as needed.
- 2. Flooring installation can be wall-to-wall. This means space reconfiguration without the coordination of other trades. No having to match 10 year old flooring or being forced to replace it.
- 3. Elements is 6" off the floor. Easy to clean under. Room to store extra goodies underneath (like shoes or totes). 6 inches of flood protection. Easily removed and stored if evacuation is necessary.
- **4. You can buy incrementally.** Avoid construction delays and budget constraints. You can phase your projects without being delayed or forced to make last minute concessions. You can always add more as needed.
- 5. Thoughtful design by room. Design spaces based on teacher needs. No cookie cutter design. No wasted money on underutilized casework.
- 6. Population shifts? Schools closing or expanding in the future? Elements can adapt to changes in classroom and school population.
- 7. Need to remove casework for any reason? Do it with your cabinet jack! Don't have one? We can help you with that.
- 8. Shift tax and installation costs to furniture.* Assigning casework dollars to F/E will allow more flexibility in furniture specifications as well as construction. *See our costing worksheet on page 6 for guideposts in construction and furniture budgets.

Easy to Reconfigure

Track mounted casegoods and mobile furniture make reconfiguring and repurposing simple, quick and clean. Activity boards, marker board and tack board panels are also quick and easy to move on the track.









Complete Solution

Find casegoods, display panels and accessories for every room from the office to the classroom.

Lower Lifetime Cost

Elements products can be removed from their original location with casegoods, display panels and walls undamaged. Products no longer needed can be stored for future repurposing.

Elements® is a comprehensive furnishing solution allowing you to reconfigure rooms, re-using rather than replacing casework, extending the value and return of your investment.

On your Elements track you can hang:

- Base, wall and tall cabinets including sink bases
- Lockers and special purpose cabinets, marker board, tack board and slat wall display
- Perimeter worksurfaces for computer labs
- Workspace office furniture



The aluminum track mounts to the wall and is the key to the Elements furnishing system



Pre-installed cabinet brackets secure the furnishings to the track



Tiles set into the upper & lower track, secured with a set screw

Track Mounted Features & Benefits...

- Componentized System: The track accommodates a variety of cabinets, marker and tack boards and components to create work spaces. As your needs change your space can change, add, subtract or multiply.
- Planning: You can put your crystal ball away, you won't need it to figure out what your needs will be in ten years. Simply change your space to meet your needs as they change.
- Components are interchangeable from room to room or building to building without damaging the walls or components.
- Repurposing a room or adding components to an existing space is simple.
- Elements cabinets are standard without a toe, allowing for floors to be finished wall to wall, so you will be ready to change your space as your needs change. The 6" open toe area not only makes it easy to keep the floor clean, but it limits hidden mold or mildew that sometimes is present under traditional casework.
- The track is mounted at standard heights, so it is ready to accept any of the above items, putting you in charge of your future!
- Freestanding or mobile items can be mixed with your track mounted installation.
- The Elements track is Aluminum Alloy 6063-T6 Clear Satin Anodized.
- The track can be mounted to any structural wall.
- A finite element analysis (FEA) on the track shows that, attached to the wall, it would take 3,200 lbs. load at any point before it would bend.
- The cabinet hangers are rated 220 lbs. each. The cabinets are rated to hold 100 lbs. per lineal foot.
- 30" deep or deeper base or tall cabinets can be track mounted but require a support toe or support legs.
- Elements cabinets are standard with finished ends, allowing you to move them without considering where you are going to put them.
- To remove cabinets you need a screw driver and a helper. All you do is loosen the cabinet hanger and lift the cabinet off the track.
- If you have an Elements Lift and a Screw Driver ONE person can move a fully loaded cabinet.
- · Elements finish options: Choose from our standard TFL finishes or specify any Formica®, or Wilsonart® HPL.

Elements

Elements® & Standard Casework Cost Comparative Worksheet

	Standard Casework Construction	Elements Modular Construction	Cost	
Delivered Product Cost (with Freight)	**\$47,763.00	\$52, 781.07	\$5,018.07	
Sold as Construction	Cost	Sold as F/E	Savings	Notes
Sales Tax*	\$3,348.00	\$0	\$(3,348.00)	No sales tax paid on F/E
Construction Manager	\$3,851.81	\$0	\$(3,851.81)	
General Contractor	\$3,633.78	\$0	\$(3,633.78)	
Installation*	\$9,452.00	\$9,452.00	\$0	Prevailing wages aren't considered
Total Procurement Cost	\$68,048.59	\$62,233.07	\$(5,815.52)	Approximately 9% savings
Other Cost Considerations As	ssociated with Mo	dular vs. Perman	ent Casework:	
Reconfigurability	n/a	100%		Paint touch up will be needed
Flooring Cost	100%	n/a		
Cabinet Jack	n/a	\$2819 (List)		

*The example above makes a few assumptions. It assumes a General Contractor cost. It also assumes that the construction is taking place in a State with a sales tax (Like Georgia's 6% tax, which changes by county) on construction only, no prevailing wage or tax for F/E to consider.

Even without those assumptions, the great benefit of Elements® modular casework is that its quality construction ensures it will last for years (decades actually). Elements® carries a standard 5-year warranty. Whereas, standard casework only carries a 1-year warranty. Elements® grants the specifying agent quality assurance once the job is complete. Additionally, as the "Other Cost Considerations" section of the chart indicates, the modular design makes it infinitely reconfigurable (without the use of a sledgehammer), and there is no flooring cost associated with reconfiguration because there is a 6" space between the floor and the bottom of Elements cabinets.

From top to bottom, choosing Elements® is a decision for a bright and flexible future!


^{**}The example above reflects the following" For casework construction - TFL Case with HPL exterior faces, top and face fillers. For Elements® construction - TFL case interior and exterior (finish grade) with HPL fronts, no top and face fillers.











Left:

Elements Wall Open Cupboard Storage, Elements Base Cupboard Storage and Elements eWall.

Above:

Elements Wall Cupboard Storage, Elements Base Cupboard Storage and Elements Base Sink Cabinet.

Above:

Elements Markerboard & Elements Tackable Acoustic Board.









Left:

Elements Tall Wardrobe Storage, Elements Wall Cupboard Storage, Elements Base Cupboard Storage & Elements Base Sink Cabinet (background). Bola tables, Bola chairs and BLOX soft seating (foreground).

Below:

Elements Wall Cupboard Storage, Elements Base Cupboard Storage and Elements Tall Open Storage.









Left:

Elements Wall Cupboard Storage with glass doors, Elements Base Cupboard Storage and Elements Base Sink Storage.

Below:

Elements Base Open Storage and Elements Base Sink Cabinet.









Elements Tall Storage, Elements Wall Open Cupboard Storage, Elements Counter and Elements Wardrobe Storage shown with Porter Desk and Forum Lounge Chairs.

Top Right:

Elements Base Cupboard Storage shown with Elements Wall Cupboard Storage.

Bottom Right: Elements Counter with Elements Wall Open Cupboard Storage.













Top Left:

Elements Base Cupboard Storage, Elements Tall Open Storage, Elements Wall Folio Storage and Elements Marker Board.

Bottom Left:

Elements Base Cubicle Storage & Elements Base Folio Storage.

Top Right:

Elements Wall Cupboard Storage & Elements Base Cupboard Storage.

Bottom Right:

Elements Tall Open Storage, Elements Markerboard & Elements Wall Folio Storage.







Left: Elements Wall Cupboard Storage, Elements Base Cupboard Storage and Elements Base Sink Cabinet.

Below: Elements Take 5 Breakroom Set: Elements Wall Cupboard Storage, Elements Base Cupboard Storage and Elements Base Sink Cabinet.





ELEMENTS BASE CABINETS




BOS Open Storage

Width	18", 24", 30", 36"
Depth	14", 20", 24"
Height	31", 34", 36"



BCSL Left Hinged Door, Cupboard Storage

Width	18", 24"
Depth	14", 20", 24"
Height	31", 34", 36"



BCSRD 1 Drawer, 1 Door Hinged Right

Width	18", 24"
Depth	20", 24"
Height	31", 34", 36"




BFSL 2 Lateral File Size Drawers

Width	24", 30", 36", 42"
Depth	20", 24"
Height	36"



BOSD Drawer Storage, Open Storage

Width	18", 24", 30", 36"
Depth	20", 24"
Height	31", 34", 36"



BCSR Right Hinged Door Cupboard Storage

Width	18", 24"
Depth	14", 20", 24"
Height	31", 34", 36"



BCSD2 2 Drawer, Cupboard Storage

Width	30", 36"
Depth	20", 24"
Height	31", 34", 36"



BDS3 3 Drawers

Width	18", 24", 30", 36", 42"
Depth	20", 24"
Height	31", 34", 36"



BDS5 5 Drawers

Width	18", 24", 30", 36", 42"
Depth	20", 24"
Height	36"



BOSD2 2 Drawer Storage, Open Storage

Width	30", 36"
Depth	20", 24"
Height	31", 34", 36"



BCSD 1 Drawer, Cupboard Storage

Width	24", 30", 36"
Depth	20", 24"



BFSD3 File Storage 2 File Size Drawers

Width	18"
Depth	20", 24"
Height	36"



BCS Cupboard Storage

Width	18", 24", 30", 36"
Depth	14", 20", 24"
Height	31", 34", 36"



BCSLD 1 Drawer, 1 Door Hinged Left

Width	18", 24"
Depth	20", 24"
Height	31", 34", 36"



BFSD4File Storage, 3 Drawers

Width	18"
Depth	20", 24"
Height	36"



BDS6 6 Drawers

Width	30", 36", 42", 48"
Depth	20", 24"
Height	31", 34", 36"



BDS8 8 Drawers

Width	30", 36", 42", 48"
Depth	20", 24"
Height	31", 34", 36"



BOCB4 4 Cubicle Storage

Width	24", 30", 36", 42", 48"
Depth	14", 20", 24"
Height	31", 34", 36"



BCCB4 4 Cubicle Storage

Width	30", 36", 42", 48"
Depth	14", 20", 24"
Height	31", 34", 36"



BOF Open Folio

Width	30", 36"
Depth	14", 20", 24"
Height	31", 34", 36"



BOCB6 6 Cubicle Storage

Width	24", 30", 36"
Depth	14", 20", 24"
Height	31", 34", 36"



BCCB6 6 Cubicle Storage

Width	30", 36", 42", 48"
Depth	14", 20", 24"
Height	31", 34", 36"



BCF Cupboard Folio

	Width	30", 36", 42", 48"
	Depth	14", 20", 24"
Г	Height	31", 34", 36"



BOCB9 9 Cubicle Storage

Width	30", 36", 42" 48"
Depth	14", 20", 24"
Height	31", 34", 36"



BCCB9 9 Cubicle Storage

Width	30", 36", 42, 48"
Depth	14", 20", 24"
Height	31", 34", 36"



BOT3B Holds 3 TBB-160 Totes

Width	15"
Depth	20"
Height	31", 34", 36"

Compartments suitable for 10.75"W x 13.25"D x 5.25"H totes



BOCB4D2 4 Cubicle, 2 Drawers

Width	30", 36", 42", 48"
Depth	20", 24"
Height	31", 34", 36"



4 Cubicle, 2 Drawers

Width	30", 36", 42", 48"
Depth	20", 24"
Height	31", 34", 36"



BOT6B Holds 6 TOT06 Totes

Width	27"
Depth	20"
Height	31", 34", 36"

Compartments suitable for 10.75"W x 13.25"D x 5.25"H totes



BOT9B Holds 9 TOT06 Totes

Width	41"
Depth	20"
Height	31", 34", 36"



BTR6 Tote Rail

Width	36", 42", 48"
Depth	24"
Height	34", 36"



BSC Sink Cabinet

Width	36", 42", 48"
Depth	24"
Height	31", 34", 36"



BSCVSink Cabinet Vanity

Width	36", 42", 48"
Depth	24"
Height	31", 34", 36"



BTEPR & BTEPL
Base Terminating End Panel

Thick	1"
Depth	14", 20", 24"
Height	31", 34", 36"

Sink Cabinets available with or without back splash. Sink is not included with cabinet. See page 37 for Sink Cabinet with Toe



ELEMENTS WALL CABINETS



WOS Open Storage

Width	18", 24", 30", 36", 42"
Depth	14"



WCSR 1 door hinged right

Width	18", 24"
Depth	14"
Height	24", 30", 36"



WOCB9 9 cubbies

Width	30", 36", 42", 48"
Depth	14"
Height	24", 30", 36"



WCCBMMail Cubicle Storage

Width	30", 36"
Depth	14"
Height	24", 30", 36"



WOSCB3
Open Storage 2 shelves
and 3 cubbies

and o cabbics	
Width	30", 36", 42"
Depth	14"
Height	30", 36"



WCSOS
1 adjustable shelf

Width	24", 30", 36" 42"
Depth	14"
Height	24", 30", 36"



WOCBMMail Cubicle Storage

Width	30", 36"
Depth	14"
Height	24", 30", 36"



WOF Open Folio Storage

Width	30", 36"
Depth	14"
Height	24", 30", 36"



WCSCupboard Storage

Width	24", 30", 36", 42"
Depth	14"
Height	24", 30", 36"



WCSOCB3
1 adjustable shelf, 3 cubbies

Width	24", 30", 36"
Depth	14"
Height	30", 36"



WCCB6 6 cubbies

Width	30", 36", 42", 48"
Depth	14"
Height	24", 30", 36"



WCF Folio Storage

Width	30", 36"
Depth	14"
Height	24", 30", 36"



WCSL 1 door hinged left

Width	18", 24"
Depth	14"
Height	24", 30", 36"



WOCB6 6 cubbies

Width	30", 36", 42", 48"
Depth	14"
Height	24", 30", 36"



WCCB9 9 cubbies

Width	30", 36", 42", 48"
Depth	14"
Height	24", 30", 36"



WTEPR & WTEPL Wall Terminating End Panel

Thick	1"
Depth	14"
Height	24", 30", 36"

ELEMENTS TALL CABINETS



TOS Open Storage

Width	18", 24", 30", 36"
Depth	14", 20", 24"
Height	84"



TOSD2 4 shelves & 2 drawers

Width	24", 30", 36", 42"
Depth	20, 24"
Height	84"



TOSD3

3	sh	ıelv	es/	&	3	dr	aw	/er	S

Width	24", 30", 36", 42"
Depth	20, 24"
Height	84"



TCS Cupboard Storage

Width	24", 30", 36"
Depth	14", 20", 24"
Height	84"



TCSL 1 door hinged left

Width	18", 24"
Depth	14", 20", 24"
Height	84"



TCSR 1 door hinged right

Width	18", 24"
Depth	14", 20", 24"
Height	84"




TCSD2 4 shelves, 2 drawers

Width	24", 30", 36", 42"
Depth	20", 24"
Height	84"




TCSD3

Width	24", 30", 36", 42"
Depth	20", 24"
Height	84"




TOCB12

Width	24", 30", 36", 42", 48
Depth	14", 20", 24"
Height	84"



TOCB20

Width	24", 30", 36", 42", 48"
Depth	14", 20", 24
Height	84"




TOCB30 30 cubbies

Width	30", 36"
Depth	14", 20", 24"
Height	84"




TCCB12 12 cubbies

Width	30", 36"
Depth	14", 20", 24"
Height	84"



TCCB20 20 cubbies

Width	30", 36"
Depth	14", 20", 24"
Height	84"



TCCB30 30 cubbies

Width	30", 36"
Depth	14", 20", 24"
Height	84"



TWRWardrobe Storage with rod

Width	24", 30", 36"
Depth	20", 24"
Height	84"




Wardrobe Storage with rod 1 door hinged left

Width	18", 24"
Depth	20", 24"
Height	84"



TWRRWardrobe Storage with rod
1 door hinged right

Width	18", 24"
Depth	20", 24"
Height	84"




TWRS
Wardrobe Storage with rod and 6 shelves

Width	24", 30", 36", 42", 48"
Depth	20", 24"
Height	84"



TCSBTR
Closed Storage with tote rails

Width	28"
Depth	20"
Height	84"



ETEPTall Terminating End Panel

Width	Thick
Depth	20", 24"
Height	84"



ELEMENTS LOCKERS







LBO1
Base Locker,
1 open unit

	•
Width	12", 15", 18"
Depth	14"
Height	48"




LBO2Base Locker,
2 open units

Width	24", 30", 48"
Depth	14"
Height	48"




LBO3Base Locker,
3 open units

Width	36", 45", 54"
Depth	14"
Height	48"



LTO1 Tall Locker, 1 open unit

Width	12", 15", 18"
Depth	14"
Height	84"



LTO2
Tall Locker,
2 open units

Width	24", 30", 36"
Depth	14"
Height	84"



LTO3 Tall Locker, 3 open units

Width	36", 45, 54"
Depth	14"
Height	84"



LTCR2
Tall Locker, 2 cupboard units, door hinged right

Width	24", 30", 36"
Depth	14"
Height	84"



LTCR3
Tall Locker, 3 cupboard units, door hinged right

Width	36", 45", 54"
Depth	14"
Height	84"



LTCR6
Tall Locker, 6 cupboard units, door hinged right

Width	36", 45", 54"
Depth	14"
Height	84"




LTO2UCS
Tall Locker, 2 open units, with upper cupboard storage

Width	24", 30", 36"
Depth	14"
Height	84"



LTO3UCS
Tall Locker, 3 open units, with upper cupboard storage

Width	36", 45", 54"
Depth	14"
Height	84"



WLCSOCB6
Tall Locker, 6 open units, with upper cupboard storage

Width	36"
Depth	14"
Height	54"



LTOCB3
Tall Locker, 3 open units, with upper lower cubby units

Width	48"
Depth	16"
Height	54"







EwallTM - BCS-001Base Cupboard Storage with Marker Board and Upper Storage

Width	108"
Depth	20", 24"



EwallTM - BCSD-001
Base Drawer and Cupboard
Storage with Marker Boards,
and Upper Storage


Width	108", 144", 180"
Depth	20", 24"
Height	84"



Ewall™ - BCSD-002Base Drawer and Cupboard Storage with Marker Boards, and Upper Storage with TV Cabinets


Width	144", 180"
Depth	20", 24"
Height	84"






WSRectangular Work Surface

Width	30", 36", 42", 48", 54", 60", 72", 84", 96", 120", 144"
Depth	20", 24"




WSCS
Corner Work Surface with
Straight Edge

Corner	42, 48
Returns	2020, 2024, 2420, 2424



WSCRCorner Work Surface with Radius Edge

Corner	42, 48
Returns	2020, 2024, 2420, 2424



ECTBL-CRectangular Work Surface with backsplash

Width	30", 36", 42", 48", 54", 60", 72", 84", 96". 120". 144"
Depth	20", 24"




WSCSA9L-C-T Left Hand Work Surface Counter Support Arm Assembly

Arms	1
Width	9"




WSCSA9R-C-T
Right Hand Work Surface Counter
Support Arm Assembly

Δ	4
Arms	1
Width	9"




WSCSA24-C-T Work Surface Counter Support Arm Assembly

Arms	2
Width	24"



WSCSA36-C-T Work Surface Counter Support Arm Assembly

Arms	2
Width	36"




WSCSA48-C-T Work Surface Counter Support Arm Assembly

Arms	2
Width	48"



ELEMENTS COUNTERS



Above:


Elements Counter shown with Smile Stools.

Below:


Elements Counter shown with Hannah Task Chairs and Mobile Pedestals.



Straight Wall Counter




"Computer Lab" Corner



Work Surface Edge Options



"Office" Corner





ELEMENTS TILES



TMBF Marker Board (HPL) Frameless

Width	48", 72", 96", 144"
Height	49.5"
Finish	White



TMBPorcelain Steel Markerboard
Aluminum Frame

Width	36", 48", 60", 72", 84", 96"
Height	49.5"
Finish	White



TTABTackable Fabric Wrapped Acoustic Board, Frameless

Width	24", 48", 72"
Height	49.5"
Fabric	Your choice of durable vertical grade fabric*

*View Multipurpose Seating and Panel choices available on our website



TTFFelt, Frameless


Width	24", 48"
Height	49.5"
Finish	Your choice of a variety of felt colors



Width 48" Sections



Width 48" Sections



Upper and lower horizontal mounting tracks are required for proper installation of Elements® Tiles. Tiles mount between the upper and lower tracks. They rest on the lower horizontal track and are secured with HTNSS available set screws see **Elements Track Installation Hardware.**



Above:

Elements HPL Markerboard (frameless) and Elements Fabric Wrapped Tiles.

Below:

Elements Porcelain Markerboard (frame) and Elements Fabric Wrapped Tiles.





ELEMENTS ACTIVITY WALL

Right:

Work+Box Dock with Edison Table and Carlo Stools. Elements Paper Activity Trough, Elements Pegboard Activity Wall, Elements Wall Open Storage, Elements Wall Cupboard Storage and Elements Tall Open Storage.


Below:

Elements Paper Activity Trough, Elements Pegboard Activity Wall, Elements Wall Open Storage, Elements Wall Cupboard Storage and Elements Tall Open Storage.






STATEMENT OF LINE




• *Shown with Storage Trough (available separately)



*Shown with Storage Trough (available separately)



• *Shown with Storage Trough (available separately)



 *Shown with Storage Trough (available separately)

EALW-3248 Lego® Activity Wall

Width	32", 40"
Height	49.5"
Lego®	Green, Blue, Grey

- Lego Surface available in green, grey and blue Anodized aluminum frame

EAMBW-3248 Marker Board Activity Wall

Width	32", 40"
Height	49.5"
Surface	HPL Marker Board
Material	Surface

- High-pressure laminate marker board surface
- · Anodized aluminum frame

EAPBW-3248 Pegboard Activity Wall

Width	32", 40"
Height	49.5"
Surface Material	Powder Coated Steel

- Perforated powder coated
- steel pegboard surface Choose from our selection of powder coats
- Anodized aluminum frame

EAPW-3248 Paper Activity Wall

Width	32"
Height	49.5"
Surface Area	29"W x 26"H

- · High-pressure laminate back panel,
- veneer panels and hardwood sides. Stain or Sprayon finish available for veneer and hardwood sides
- Max paper roll size is 26.4375"W x 7.375" Diameter
- Exposed drawing surface area is 29"W x 26"H



EAWST-4010 Activity Wall Storage Trough

, 101.111	Trail Grorage Traagit
Width	32", 40"
Depth	10.125"


- Veneer construction.
- Stain or Sprayon finish


Upper and lower horizontal mounting tracks are required for proper installation of Elements® Tiles. Tiles mount between the upper and lower tracks. They rest on the lower horizontal track and are secured with HTNSS available set screws see **Elements Track Installation Hardware.**



ELEMENTS OPTIONS


Mounting Elevations





Integral vs Continuous Top

- Elements cabinets are available with your choice of integral or continuous tops.
- Integral tops give you the most flexibility as your needs change. They allow you to move
 or rearrange one cabinet at a time or repurpose the entire room.
- Continuous tops are a great choice also, but they require removing before you can reconfigure your space. New tops can be purchased as your needs change. Back splashes are available as well.
- Chemical resistant HPL or Trespa TopLab+ tops are also available.




Top Edge Options



Optional Toe Kicks

Toe kicks are an option on any Elements base or tall cabinet. They are ordered as individual pieces to accommodate your layout. Toes can be mixed into runs of standard track mounted cabinets, (i.e.: a sink base cabinet where the plumbing is thru the floor, or 30" deep tall storage cabinet). Standard kicks are black TFL with 3 mm PVC. They clip to support legs to provide a finished look.



Example: The following is required for a typical toe kick assembly on a run of cabinets as shown above:

Cabinet 1: (3) Toe Kick Legs, (1) Toe Kick Side, (1) Toe Kick Front

Cabinet 2: (2) Toe Kick Legs, (1) Toe Kick Front

Cabinet 3: (3) Toe Kick Legs, (1) Toe Kick Side, (1) Toe Kick Front

Notes:

- Toe Kick Side required for each cabinet on either side of the run of cabinets.
- Toe Kick Front required for each cabinet.
- Toe Kick legs required where necessry for attachment of Toe Kick Sides and Fronts.



ELEMENTS OPTIONS

Door/Drawer Pulls



P1 (Standard) Wire Pull, Black and Nickel (96mm)



P2 Loop Pull, Black and Nickel (96mm)



P4Recessed Pull, Black
(No mounting holes)



P5 Wire Pull, Stainless (120mm)



P6Wire Pull, Stainless (96mm)



P7Hidden Pull, Stainless (50mm)

Premium Hinges



P0 No Pull (No mounting holes)

Standard Hinge



H2 (Standard) 3 Knuckle Commercial, Nickel



H15 Knuckle Commercial, Nickel



H3Concealed Nickel

Cabinet Jack



HCJ-233770-F880 Cabinet Jack



Cabinet Jack shown with a cabinet load.

Cabinet jack is available for ease of moving and installing cabinets.

The cabinet jack utilizes a foot-operated hydraulic pump. For use with base, wall and tall units. 880lb. capacity allows loaded or unloaded cabinets to be moved. Features adjustable width forks, swivel casters and brakes.

ELEMENTS TRACK & INSTALLATION HARDWARE



HT-96
Horizontal Mounting Track
Anodized Aluminum
8FT (96") Lengths



HTAEC
Horizontal Mounting Track
End Cap
Removeable for access
to interior of the horizontal
mounting track



PVC Wire Manager Snaps directly onto the horizontal mounting track Available in 8FT sections



HTAC
Horizontal Mounting Track
Connector Splice
16 gauge aluminum



WMP
Worksurface Mending Plate
Attaches worksurfaces



WSB
Worksurface Support Bracket
Attaches to edge of
worksurface and hangs on
lower horizontal mounting
track



HTAB
Horizontal Mounting Track
Anchor Bolt
HTAB-1.5......1/4"-20 X 1-1/2" bolt
HTAB-2.5......1/4"-20 X 2-1/2" bolt
HTAB-3..............1/4"-20 X 3" bolt



HTDEA-1.25 Anchor Bolt Double Expansion 1/4" - 20 x 1-1/4"



HTDSTHorizontal Mounting Track
Toggler Anchor



HTWS-2
Horizontal Mounting Track
#12 Screw
#12 x 2" wood screw





HTSP
Track Spacer
Used for accurate spacing of upper and lower horizontal mounting tracks



HTSBB Surfboard Hanging Bracket for Elements Track



HTAFH
Flag Mounting Bracket for
Elements Track
1"W x 2.75"L x .25"H



UT48Utensil Tray for Elements Track 48"W Section



CS48
Cork Strip for Elements Track
48"W Section



Making the case for

TRANSITION TRACK-MOUNTED SHELVING & STORAGE COMPONENTS.

Interchangeable and well designed. Transition is a flexible and configurable shelving and storage solution.

Let's make casework furniture!

8 great reasons to choose Transition:

- 1. Flexibility. With a variety of open storage, cupboard storage and upper or base storage options, Transition configurations are endless. Doors are sold separately so that open storage can be turned into cupboard storage in a snap. And don't forget about add-on options such work surfaces, benches and locker accessories!
- **2. Ease of use.** Don't want to select individual components? That's alright! Transition has a number of kits already thought out for you. See available kits starting on page 50.
- **3. Starter/adder construction.** Allows you to make your casework fit any length of wall or space. Components can be added or removed at any time. Allowing for changes whenever necessary. Adaptable to meet a variety of different needs.
- 4. Ability to repurpose. Kits and components can be moved and interchanged to to be used as needed.
- **5. Flooring installation can be wall-to-wall.** Kits and components are elevated off the floor for easy cleaning beneath. Base, upper and tall storage options are available.
- **6. You can buy incrementally.** Avoid construction delays and budget constraints. You can phase your projects without being delayed or forced to make last minute concessions. You can always add more as needed.
- 7. Thoughtful design by room. Design spaces based on teacher needs. No cookie cutter design. No wasted money on underutilized casework.
- **8. Design.** Transitions is built like furniture with the interior being part of the design. This means that the material you see on the outside is what you get on the inside.

Easy to Reconfigure

Track mounted shelving and mobile furniture make reconfiguring and repurposing simple, quick and clean. Activity boards, marker board and tack board panels are also quick and easy to move on the track.

Readily Available Kits

Transition has a variety of predetermined kits to choose from. Kits are comprised of starter/adder units and can be expanded with additional Transition or track-mounted components and accessories. See available kits starting on page 50.

Compatibility

Mix and match Transition components with anything from the Elements line! Since both Elements and Transition are track-mounted with the same track positioning, Transition is compatible with anything from the Elements line and can be used concurrently with it.

Note: Only standard/concealed (H3) hinges are available for Transition solutions.









Left: Transition storage shown with Track-Mounted Felt Tack Board, Drift Storage, Valour Gather Tables, Valour Wave Tables & Shelby Chairs.

Below: Transition Shelving with doors shown with Elements Markerboard, Vector table and Dotti stool.









Left: Custom Transition Shelving shown with The Nest privacy unit. Engage Rocker Chair, Dreamer Cart and BLOX soft seating.

Below: Transition Shelving with doors shown with BLOX soft seating.











Left: Transition Storage with cabinets, GTX Desk, Arc Sled Base Chairs and a Full Time Hex Ottoman.

Below: Transition Storage shown with cabinet doors.










 $\textbf{Left \& Above:} \ \, \textbf{Transition Kit B shown in a print room/maker space environment.} \\$



TRANSITION KITS

Transition Kit A (TRN-KIT-A)




Transition Kit A is 6 lockers with storage. Each starter and adder unit in this kit (7 total) includes 3 fixed and 4 tab cam adjustable shelves.

All panels and shelves are 1" thick engineered wood with melamine finish and PVC banding.

This kit can be expanded with additional track and Transition components.

Transition Kit A - Exploded by Component



Components included in this Kit


- (2) HT96 96" W Horizontal Track
- (4) HTAEC Horizontal Track End Cap
- (1) TRN-SB-841219-T 84"H x 14"W x 19"D Starter Unit
- (6) TRN-SB-841219A-T 84"H x 13"W x 19"D Adder Unit
- (6) TRN-SH12F-Locker-19-T 12"W x 19"D Locker Shelves with Hooks
- Overall Unit Width: 92"
- Weight: 759 lbs.

Note: Starter unit widths include the width of the shelf plus the width of two end panels (shelf width plus 2"). Adder unit widths include the length of the shelf plus the width of one intermediate panel (shelf width plus 1"). Overall base cabinet height is expressed including the 6" space between the floor and the bottom of the base cabinet.



TRANSITION KITS


Transition Kit A (TRN-KIT-B)



All panels and shelves are 1" thick engineered wood with melamine finish and PVC banding.

This kit can be expanded with additional track and Transitions components.

Transition Kit B - Exploded by Component




- (2) HT96 96" W Horizontal Track
- (4) HTAEC Horizontal Track End Cap
- (1) TRN-SB-843019-T 84"H x 32"W x 19"D Starter Unit
- (2) TRN-SB-843019A-T 84"H x 31"W x 19"D Adder Unit
- Overall Unit Width: 94"
- Weight: 584 lbs.

Note: Starter unit widths include the width of the shelf plus the width of two end panels (shelf width plus 2"). Adder unit widths include the length of the shelf plus the width of one intermediate panel (shelf width plus 1"). Overall base cabinet height is expressed including the 6" space between the floor and the bottom of the base cabinet.



TRANSITION KITS


Transition Kit A (TRN-KIT-E)



The fit our be expanded with additional flaction and flation compensate

STATEMENT OF LINE

Transition Kit E - Exploded by Component




Note: Starter unit widths include the width of the shelf plus the width of two end panels (shelf width plus 2"). Adder unit widths include the length of the shelf plus the width of one intermediate panel (shelf width plus 1"). Overall base cabinet height is expressed including the 6" space between the floor and the bottom of the base cabinet.



TRANSITION KITS

Transition Kit A (TRN-KIT-H)

Description




this kit (4 total) includes fixed and tab cam adjustable shelves.

All panels and shelves are 1" thick engineered wood with melamine finish and PVC banding.

The seat is 37"W and 13"D with an upholstered seat cushion. This kit is priced with Grade 3 fabric.

This kit can be expanded with additional track and Transition components.

Transition Kit H - Exploded by Component



Note: Starter unit widths include the width of the shelf plus the width of two end panels (shelf width plus 2"). Adder unit widths include the length of the shelf plus the width of one intermediate panel (shelf width plus 1"). Overall base cabinet height is expressed including the 6" space between the floor and the bottom of the base cabinet.



TRANSITION BASE SHELF UNITS




TRN-S_-3612 TRN-S_-3612A

Base Shelf Starter & Adder

Widths	14", 13" (A)
Height	30"
Depths	13", 19"

*Available in Upper & Base Units. Upper Units are denoted by -SU. Base units are denoted by -SB.




TRN-S_-3618 TRN-S_-3618A

Base Shelf Starter & Adder

Widths	20", 19" (A)
Height	30"
Depths	13", 19"

*Available in Upper & Base Units. Upper Units are denoted by -SU. Base units are denoted by -SB.




TRN-S_-3624 TRN-S_-3624A

Base Shelf Starter & Adder

Widths	26", 25" (A)
Height	30"
Depths	13", 19"

*Available in Upper & Base Units. Upper Units are denoted by -SU. Base units are denoted by -SB.




TRN-S_-3630 TRN-S_-3630A

Base Shelf Starter & Adder

Widths	32", 31" (A)
Height	30"
Depths	13", 19"


*Available in Upper & Base Units. Upper Units are denoted by -SU. Base units are denoted by -SB.



TRN-S_-3636 TRN-S_-3636A Base Shelf Starter & Adder

Widths	38", 37" (A)
Height	30"
Depths	13", 19"


*Available in Upper & Base Units. Upper Units are denoted by **-SU**. Base units are denoted by -SB.



TRN-SB-4812 **TRN-SB-4812A**

Base Shelf Starter & Adder

Widths	14", 13" (A)
Height	42"
Depths	13", 19"



TRN-SB-4818 TRN-SB-4818A Base Shelf Starter & Adder

Widths	20", 19" (A)
	40"


Widths	20", 19" (A)
Height	42"
Depths	13", 19"



TRN-SB-4824 **TRN-SB-4824A**


Base Shelf Starter & Adder

Widths	26", 25" (A)
Height	42"
Depths	13", 19"



TRN-SB-4830 **TRN-SB-4830A** Base Shelf Starter & Adder


Widths	32", 31" (A)
Height	42"
Depths	13", 19"



TRN-SB-4836 **TRN-SB-4836A**

Base Shelf Starter & Adder


Widths	38", 37" (A)
Height	42"
Depths	13", 19"



TRN-SB-6012 **TRN-SB-6012A**

Base Shelf Starter & Adder

Widths	14", 13" (A)
Height	54"
Depths	13", 19"




TRN-SB-6018 **TRN-SB-6018A**

Base Shelf Starter & Adder

Widths	20", 19" (A)
Height	54"
Depths	13", 19"


STATEMENT OF LINE



TRN-SB-6024 TRN-SB-6024A

Base Shelf Starter & Adder


Widths	26", 25" (A)
Height	54"
Depths	13", 19"



TRN-SB-6030A

Base Shelf Starter & Adder


Widths	32", 31" (A)
Height	54"
Depths	13", 19"



TRN-SB-6036 TRN-SB-6036A

Base Shelf Starter & Adder


Widths	38", 37" (A)
Height	54"
Depths	13", 19"



TRN-SB-8412 TRN-SB-8412A

Base Shelf Starter & Adder

Widths	14", 13" (A)
Height	78"
Depths	13", 19"




TRN-SB-8418 TRN-SB-8418A

Base Shelf Starter & Adder

Widths	20", 19" (A)
Height	78"
Depths	13", 19"


XX in model number is a placeholder for Depth



TRN-SB-8424 TRN-SB-8424A

Base Shelf Starter & Adder


Widths	26", 25" (A)
Height	78"
Depths	13", 19"



TRN-SB-8430 TRN-SB-8430A

Base Shelf Starter & Adder

Widths	32", 31" (A)
Height	78"
Depths	13", 19"



TRN-SB-8436A

Base Shelf Starter & Adder

Widths	38", 37" (A)
Height	78"
Depths	13", 19"


Lower horizontal mounting tracks are required for proper installation of Transition Base Shelf Units. Upper and lower horizontal mounting tracks are required for proper installation of 84"H Transition Base Shelf Units.

For Melamine finished shelf units add -T suffix to Model Number.

For HPL finished shelf units add -L suffix to Model Number.




TRANSITION "WAVE" SHELF UNITS



TRN-SB-363613V TRN-SB-363613VA Base Concave Shelf Starter & Adder

Widths	38", 37" (A)
Height	30"
Depths	13"



TRN-SB-483613V TRN-SB-483613VA Base Concave Shelf Starter & Adder


Widths	38", 37" (A)
Height	42"
Depths	13"



TRN-SB-603613V TRN-SB-603613VA

Base Concave Shelf Starter & Adder


Widths	38", 37" (A)
Height	54"
Depths	13"



TRN-SB-843613V TRN-SB-843613VA

Base Concave Shelf Starter & Adder


Widths	38", 37" (A)
Height	78"
Depths	13"



TRN-SB-363613X TRN-SB-363613XA

Base Convex Shelf Starter & Adder

Widths	38", 37" (A)
Height	30"
Depths	13"



TRN-SB-483613X TRN-SB-483613XA

Base Convex Shelf Starter & Adder


Widths	38", 37" (A)
Height	42"
Depths	13"



TRN-SB-603613X TRN-SB-603613XA

Base Convex Shelf Starter & Adder

Widths	38", 37" (A)
Height	54"
Depths	13"



TRN-SB-843613X TRN-SB-843613XA

Base Convex Shelf Starter & Adder

Widths	38", 37" (A)
Height	78"
Depths	13"

Lower horizontal mounting tracks are required for proper installation of Transition Base Shelf Units. Upper and lower horizontal mounting tracks are required for proper installation of 84"H Transition Base Shelf Units.

For Melamine finished shelf units add -T suffix to Model Number.

For HPL finished shelf units add -L suffix to Model Number.

TRANSITION DOORS

STATEMENT OF LINE

Upper Doors



TRN-DOORUL-WWHH

Upper Door Left

Widths	12", 18"
Height	15", 25"



TRN-DOORUR-WWHH

Upper Door Right

Widths	12", 18"
Height	15", 25"




TRN-DOORU-WWHH

Upper Double Door

Widths	24", 30", 36"
Height	15", 25"

Base Doors



TRN-DOORBL-WWHH

Base Door Left

Widths	12", 18"
Height	30", 42"



TRN-DOORBR-WWHH

Base Door Right

12", 18"

Widths

|--|--|

TRN-DOORBR-WWHH

Full Height Door Right


Widths	12", 18"
Height	54", 78"



TRN-DOORB-WWHH

Base Double Door

Widths	24", 30", 36"
Height	30", 42"



TRN-DOORB-WWHH

Full Height Double Door

Widths	24", 30", 36"
Height	54", 78"

TRN-DOORBL-WWHH

Full Height Door Left



Widths 12", 18" 54", 78"

^{*}WWHH in model number is a placeholder for Width and Height

TRANSITION COMPONENTS

STATEMENT OF LINE



TRN-SHWWF-DDShelf, Straight, Fixed Cam

Widths	12", 18", 24", 30", 36"
Depth	13", 19"
Material	HPL, TFL



TRN-SHWWT-DD

Shelf, Straight, Tab Cam

Widths	12", 18", 24", 30", 36"
Depth	13", 19"
Material	HPL, TFL



TRN-SHWWVF-DD

Shelf, Concave, Fixed Cam

Widths	36"
Depth	13", 19"
Material	HPL, TFL



TRN-SHWWVT-DD Shelf, Concave, Tab Cam

Widths	36"
Depth	13", 19"
Material	HPL, TFL



TRN-SHWWXF-DD

Shelf, Convex, Fixed Cam

Widths	36"
Depth	13", 19"
Material	HPL, TFL



TRN-SHWWXT-DD Shelf, Convex, Tab Cam

Widths	36"
Depth	13", 19"
Material	HPL, TFL



TRN-SHWWF-LOCKER-DD

Shelf, w coat Hook, Fixed Cam

Widths	12", 18", 24"
Depth	13", 19"
Material	HPL, TFL



TRN-SHOS-DD

Shelf, Outside Corner, Fixed Cam

Widths	28.25", 36.75"
Depth	13", 19"
Material	HPL, TFL



TRN-SHIN-DD

Shelf, Inside Corner, Fixed Cam

Widths	31.25", 43"
Depth	13", 19"
Material	HPL, TFL



TRN-SH36F-SEAT-DD

Shelf, Upholstered Seat, Fixed Cam

Widths	36"
Depth	13", 19"
Material	HPL, TFL, COM, G-19



TRN-SH36VF-SEAT-DD

Shelf, Concave, Upholstered Seat, Fixed Cam


Widths	36"
Depth	13", 19"
Material	HPL, TFL, COM, G-19



TRN-SH36XF-SEAT-DD

Shelf, Convex, Upholstered Seat, Fixed Cam

Widths	36"
Depth	13", 19"
Material	HPL, TFL, COM, G-19



TRN-EPBL-HHDD

End Panel, Starter, Left


Height	30", 42", 54', 78"
Depth	13", 19"
Material	HPL, TFL



TRN-EPBR-HHDD

End Panel, Starter, Right


Height	30", 42", 54', 78"
Depth	13", 19"
Material	HPL, TFL



TRN-EPB-HHDDA

Intermediate Panel, Adder


Height	30", 42", 54', 78"
Depth	13", 19"
Material	HPL, TFL





TRANSITION CONSTRUCTION


General Construction

- End and Intermediate Panels are 1" thick; Particleboard core with high-pressure laminate or melamine faces and PVC banding. Each panel includes cut-outs for fitting over mounting track.
- 2. Pre-drilled holes for shelf cam studs are distributed on 32mm (1-1/4") increments.
- Cabinet Hangers are to be mounted to the panel with the Machine screws provided. Two (2) hangers for End Panels and four (4) hangers for Intermediate panels.
- Shelves are 1" thick; particleboard core and high-pressure laminate or melamine faces with PVC front edge. Bottom surface of shelves are pre-drilled for the insertion of locking or tabbed cams.
- 5. Fixed Shelves should be fitted with Locking Cams.
- 6. Adjustable Shelves should be fitted with Tab Cams.
- Shelf Seat is a 1" thick shelf base with a fully upholstered seat cushion. Seat cushion upholstery is availabe in Grade 1 thru Grade 9 and COM fabric.
- 8. Metal Seat Bracket for mounting to panels is integral in the Shelf Seat assembly.













Making the case for


TEMPO MUSIC STORAGE.

Available in a variety of sizes to accommodate storage of several different shapes and sizes of instruments.

Let's orchestrate your instrument storage!


5 great reasons to choose tempo

- **1. Design.** Built like furniture, meaning the insides are part of the design instead of another material, what you see on the outside is what you get on the inside.
- **2. Flooring installation can be wall-to-wall.** Finished bottoms with adjustable glides make it easy to install over existing flooring.
- **3. Storage options.** Store your instruments in open units, or choose to add wire grille doors for visibility with security, or solid HPL doors to keep items secure and hidden when not in use.
- 4. Build it here. We hand craft everything right here in Shelby, MI reducing emissions.
- **5. Lasting value** You can count on a quality experience with mediatechnologies from design through delivery and for years thereafter.






Tempo MUSIC CABINETS



SMC-81514 Compartment Size: 15 - 8"w x 14.625"h


Width	27.50"
Depth	19.25", 29.25"
Height	85.625"
19.25D	Holds clarinets, flutes, or piccolos, or oboes
29.25D	Holds 15 clarinets, flutes, or piccolos, or oboes, soprano saxophones or trumpets



SMC-981412514

Compartment Sizes: 9 - 8"w x 14.625"h 1 - 25.5 "w x 25"h


Width	27.50"
Depth	29.25"
Height	85.625"
Holds 9 clarinets, flutes, and 1 French horn, alto horn or snare drum	



SMC-101214

Compartment Size: 10 - 12.375"w x 14.625"h


Width	27.50"
Depth	19.25", 29.25"
Height	85.625"
19.25	Holds 10 trumpets, cornets or alto saxophones
29.25D	Holds 10 trumpets, cornets or alto saxophones



SMC-6121412525


Compartment Sizes: 6 - 12.375"w x 14.625"h 1 - 25.50"w x 25"h

Width	27.50"
Depth	19.25", 29.25"
Height	85.625"
19.25D	Holds 6 trumpets, cornets or alto saxophones and 1 French horn, altro horn or snare drum
29.25D	Holds 6 trumpets, cornets or alto saxophones and 1 French horn, altro horn or snare drum



SMC-12578Compartment Size:
1 - 25.50"w x 78.50"h


Width	27.50"
Depth	29.25"
Height	85.625"
Holds 1 string bass, contra bass clarinet or bass drum or general storage use	



SMC-1251412561

Compartment Sizes: 1 - 25.50" w x 14.625"h 1 - 25.50" w x 61.875"h


Width	27.50"
Depth	29.25"
Height	85.625"
Holds 1 cello or guitar and 1 snare	



SMC-32525

Compartment Size: 3 - 25.50"w x 25"h

Width	27.50"
Depth	29.25", 39.25"
Height	85.625"
29.25	Holds 3 French horns, alto horns or snare drums or mellophone
39.25D	Holds 3 baritone horns, euphoniums or mellophones



SMC-34623


Compartment Size: 3 - 46.50"w x 23.75"h

Width	48.50"
Depth	29.25"
Height	85.625"
Holds 3 baritone saxophones, bass clarinets, bassoons, snare drums or use for general storage	



SMC-51214Compartment Size:
5 - 12.375"w x 14.625"h

Width	14.375"
Depth	29.25"
Height	85.625"
Holds 5 trumpet, cornets or alto saxophones	




SMC-22537 Compartment Size: 2 - 25.50"w x 37.375"h

Width	27.50"
Depth	29.25"
Height	85.625"
Holds 2 bass drums, field drums or snare drums	



SMC-24637 Compartment Size: 2 - 46.50"w x 37"h

Width	48.50"
Depth	29.25"
Height	85.625"
Holds 2 Tubas, Sousaphones, Tri-toms, or general storage	




SMC-68143848

Compartment Size: 6 - 8"w x 14.625"h 3 - 8"w x 48.25"h


Width	27.50"
Depth	29.25"
Height	85.625"
Holds 3 guitars and 6 clarinets, flutes or oboes	

STATEMENT OF LINE




SMC-6836 Compartment Size: 6 - 8"w x 38.25"h

Width	27.50"
Depth	39.25"
Height	85.625"
Holds 6 acoustic guitars	




SMC-5814 Compartment Size: 5 - 8"w x 14.625"h

Width	10"
Depth	19.25"
Height	85.625"
Holds 5 clarinets, flutes, piccolos, or oboes	




SMC-10814 Compartment Size: 10 - 8"w x 14.625"h

Width	18.75"
Depth	19.25"
Height	85.625"
Holds 10 clarinets, flutes, piccolos, or oboes	



SMC-12814 Compartment Size: 12 - 8"w x 14.625"h

Width	27.50"
Depth	19.25", 29.25"
Height	69.75"
19.25D	Holds 12 clarinets, flutes, piccolos, or oboes
29.25D	Holds 12 clarinets, flutes, piccolos, or oboes, soprano saxophones or trumpets



SMC-81214 Compartment Size: 8 - 12.375"w x 14.625"h

Width	27.50"	
Depth	29.25"	
Height	69.75"	
Holds 8 trumpets, cornets or alto saxophones		




SMC-12525 Compartment Size: 25.50"w x 25"h

Width	27.50"
Depth	29.25", 39.25"
Height	38.125"
29.25D	Holds 1 French horn, alto horn, snare drum or mellophone
39.25D	Holds 1 baritone, euphonium or mellophone




SMC-6814 Compartment Size: 6 - 8"w x 14.625"h

Width	27.50"
Depth	19.25", 29.25"
Height	38.125"
19.25D	Holds 6 clarinets, flutes, piccolos or oboes
29.25D	Holds 6 clarinets, flutes, piccolos or oboes, soprano saxo- phones or trumpets




SMC-41214 Compartment Size: 4 - 12.375"w x 14.625"h

Width	27.50"	
Depth	29.25", 39.25"	
Height	38.125"	
29.25D	Holds 4 trumpets, cornets or alto saxophones	
39.25D	Holds 4 trombones, bassoons, violins, violas, bass/alto clarinets or tenor saxophones	




SMC-21214Compartment Size:
2 - 12.375" w x 14.625"h

Width	14.375"	
Depth	29.25"	
Height	38.125"	
Holds 2 trumpets, cornets or alto saxophones		



SMC-2814 Compartment Size: 2 - 8"w x 14.625"h

Width	10"	
Depth	19.25"	
Height	38.125"	
Holds 2 clarinets, flutes, piccolos or oboes		



SMC-4814 Compartment Size: 4 - 8"w x 14.625"h

Width	18.75"	
Depth	19.25"	
Height	38.125"	
Holds 4 clarinets, flutes, piccolos or oboes		



Tempo MUSIC CABINETS

General Description Music Cabinets – High-Pressure Laminate:

Side panels, vertical dividers, back, top and optional doors are constructed of 3/4 inch thick particleboard. Interiors and exteriors are standard high pressure laminate. Exposed edges are PVC banding, .3mm thickness.

All shelves are fixed. Shelves are constructed of ¾ inch thick particleboard. Surfaces are standard high pressure laminate. Shelf top surface and front edge receive a tough, non-skid polyurea coating. All full width shelves receive a metal support keel to prevent sag.

Cabinets receive leveling glides.

Optional straight grille or HPL compartment doors available, add –SC to end of model number for straight grille doors or –HC for HPL compartment doors.

Straight grille door comes with five-knuckle hinge. Hinge options for HPL compartment doors include the following:

H1 - Five knuckle, 14 gauge steel, black epoxy powder coated or plated matte nickel finish, commercial grade, overlay type, ANSI-BHMA A-156.9-2001 Grade 1 standards.


H2 – Three Knuckle, black epoxy powder coated or matte nickel finish, commercial grade, overlay type, three-way adjustable, self closing, ANSI-BHMA Grade 1 standards.

H3 – Concealed hinge, steel, nickel-plated finish, self closing and three-way adjustable, self closing.


A lock option for HPL compartment door is available. Straight grille doors are black.

General Construction:


- Cabinet construction available with 3/4" thick engineered wood side panels, tops, vertical dividers and shelves. Cabinet bottoms are 1" thick engineered wood. Cabinets include levellers.
- 2. Dowel construction meets AWI Premium Standards.
- 1/4" thick cabinet backs.
- 4. Dowel pinned structural 3/4" stringers add rigidity.
- 5. Shelves are fixed.
- 6. Shelf surfaces are high pressure laminate.
- 7. Shelf top surface and front edge receive a non-skid polyurea finish.
- 8. High pressure laminate box finish is applied to all cabinet faces. (Note: Toes are left unfinished on base and tall cabinets).
- 9. Box edge (including bottom edge of cabinets) will be nominal .5mm (.020) PVC.
- Front finish is applied to compartment doors. Special veneers and exotic woods available upon request.
- Front edge will be 3mm PVC for HPL finished fronts. Other edge options are available. Contact your sales representatives for details.




Compartment Depths		
CABINET DEPTH	COMPARTMENT DEPTH	
19.25"	17.375"	
29.25"	27.375"	
39.25"	37.375"	




Cabinet Shown Without Doors



Cabinet Shown with Wire Straight Grille Compartment Doors



Cabinet Shown with HPL Compartment Doors





Making the case for

DEFINITIONS CASEWORK.

Well designed, and well built.

Our Definitions Line of casework is beautiful and built to last.

Let's make casework furniture!


5 great reasons to choose Definitions

- **1. Design.** Definitions is built like furniture, meaning the insides are part of the design instead of another material, what you see on the outside is what you get on the inside.
- **2. Flooring installation can be wall-to-wall.** Finished bottoms with adjustable glides make it easy to install over existing flooring.
- **3. Performance** over the long haul in high abuse environments like cafeterias, makerspaces and STEM/STEAM labs.
- **4. Build it here.** We hand craft everything right here in Shelby, MI reducing emissions.
- **5. Lasting value** You can count on a quality experience with mediatechnologies from design through delivery and for years thereafter.










Left: Definitions Wall Cupboard Storage, Markerboard Workspace Tile, Fabric Wrapped Workspace Tiles & Rubix Cupboard Storage with continuous work surface. Foreground: Timmy Desk and Arc Sled Base chairs.

Above & Below: Definitions Storage shown with 3Form Acrylic doors, Acoustical Felt Display Tiles, Framed Acoustical Felt Display Tiles, Hutchinson Cabinet, Porter Tables with Felt modesty panels & Mobile Pedestals with seat cushions.







Left: Definitions Base Cupboard Storage with Full Time ottomans and Engage lounge chairs.

Bottom Right: Definitions Tall, Wall & Base Storage shown behind Nomad desks and Nomad Book Return.





Definitions BASE CABINETS



SBOS Open Storage

Width

Depth

Height

Width


Depth

Height

18", 24", 30", 36"

14", 20", 24"

30", 34", 36"



Width

Depth

Height

SBOSD Drawer Storage, Open Storage

18", 24", 30", 36"

20", 24"

30", 34", 36"

SBOSD2 2 Drawer Storage, Open Storage

18", 24", 30", 36"

20", 24"

30", 34", 36"

Width

Depth

Height

Width

Depth

Height



SBCS Cupboard Storage

Width

Depth

Height

18", 24", 30", 36"

14", 20", 24"

30", 34", 36**"**



Left Hinged Door, Cupboard Storage

Width
Depth
Height

Width	18", 24"
Depth	14", 20", 24"
Height	30", 34", 36"




SBCSR Right Hinged Door Cupboard Storage

18", 24"

14", 20", 24"

30", 34", 36"



1 Drawer, Cupboard Storage



Ouppould Otorage	
Width	24", 30", 36"
Depth	20", 24"
Height	30" 34" 36"



SBCSLD 1 Drawer, 1 Door Hinged Left

18". 24"

20", 24"

30", 34", 36"



SBCSRD 1 Drawer, 1 Door Hinged Right

34", 36'



SBCSD2 2 Drawer, Cupboard Storage

	Width	18", 24"
	Depth	20", 24"
	Height	30", 34", 36

Width	30", 36", 42", 48"
Depth	20", 24"
Height	30". 34". 36"



File Storage 2 File Size Drawers

_	-
SBFSD3	SBFSD4

File Storage, 3 Drawers



SBFSL 2 Lateral File Size Drawers



SBDS3 3 Drawers



SBDS5 5 Drawers

Width	18"
Depth	20", 24"
Height	36"

Width	18"
Depth	20", 24"
Height	36"

Width	24", 30", 36", 42"
Depth	20", 24"
Height	36"

Width	18", 24", 30", 36", 42"
Depth	20", 24"
Height	30", 34", 36"

Width	18", 24", 30", 36", 42"
Depth	20", 24"
Height	36"



SBDS6 6 Drawers

_		
		Ţ.
		: :
		~ <u>;</u>
l I		
V	~	

FBOS 1 Shelf



SBDS8 8 Drawers



SBOCB4 4 Cubicle Storage



SBOCB6 6 Cubicle Storage

Width	30", 36", 42", 48"
Depth	20", 24"
Height	30", 34", 36"

Width	30", 36", 42", 48"
Depth	20", 24"
Height	30", 34", 36"

Width	30", 36", 42", 48"
Depth	20", 24"
Height	30", 34", 36"

Width	24", 30", 36", 42", 48"
Depth	14", 20", 24"
Height	30", 34", 36"

Width	24", 30", 36"
Depth	14", 20", 24"
Height	30", 34", 36"



SBOCB9 9 Cubicle Storage



SBOCB4D2 4 Cubicle, 2 Drawers



SBCCB4 4 Cubicle Storage



SBCCB6 6 Cubicle Storage



SBCCB9 9 Cubicle Storage

Width	30", 36", 42" 48"
Depth	14", 20", 24"
Height	30", 34", 36"

Width	30", 36", 42", 48"
Depth	20", 24"
Height	30", 34", 36"

Width	30", 36", 42", 48"
Depth	14", 20", 24"
Height	30", 34", 36"

Width	30", 36", 42", 48"
Depth	14", 20", 24"
Height	30", 34", 36"

Width	30", 36", 42, 48"
Depth	14", 20", 24"
Height	30", 34", 36"



SBCCB4D2 4 Cubicle, 2 Drawers



SBOF Open Folio



SBCF Cupboard Folio



SBOT3B Holds 3 TOT06 Totes



SBOT6BHolds 6 TOT06 Totes

Width	30", 36", 42", 48"
Depth	20", 24"
Height	30", 34", 36"

Width	30", 36"
Depth	14", 20", 24"
Height	30", 34", 36"

Width	30", 36", 42", 48"
Depth	14", 20", 24"
Height	30", 34", 36"

Width	18"
Depth	20"
Height	30", 34", 36"

Width	28"
Depth	20"
Height	30", 34", 36"



SBOT9BHolds 9 TOTO6 Totes



SBSC Sink Cabinet



SBSCP Sink Cabinet with Pocket Doors, ADA Compliant



SBSCV Sink Cabinet Vanity ADA Compliant



SBTR3 Holds TOTO Totes

Width	42"
Depth	20"
Height	30", 34", 36"

Width	36", 42", 48"
Depth	24"
Height	31", 34", 36"

Width	36", 42", 48"
Depth	24"
Height	34", 36"

Width	36", 42", 48"
Depth	24"
Height	31", 34", 36"

Width	15"
Depth	20"
Height	30", 34", 36"



SBTR6 Holds TOTO Totes

Width	27"
Depth	20"
Height	30", 34", 36"



SBTR9 Holds TOTO Totes

Width	41"
Depth	20"
Height	30", 34", 36"



WKSP
Terminating End Panel/
Work Surface Support Panel

Thick	1"
Depth	14", 20", 24"
Height	30"



WMPS661220-W
Pedestal with
2 Box/1 File Drawer

Width	15"
Depth	21"
Height	27"



WMPS121220-W Pedestal with 2 File Drawers

15"	Width	15"
21"	Depth	21"
27"	Height	27"



Definitions WALL CABINETS



SWOS Open Storage

Width	18", 24", 30", 36", 42"
Depth	14"
Height	24", 30", 36"



SWCSR1 door hinged right

Width	18", 24"
Depth	14"
Height	24", 30"



SWOCB9 9 cubbies

Width	30", 36", 42", 48"
Depth	14"
Height	24", 30", 36"



SWCCBMMail Cubicle Storage

Width	30", 36"
Depth	14"
Height	24", 30", 36"




SWOSCB3
Open Storage 2 shelves and 3 cubbies

Width	30", 36", 42"
Depth	14"
Height	30", 36"



SWCSOS1 adjustable shelf

Width	24", 30", 36" 42"
Depth	14"
Height	24", 30", 36"



SWOCBMMail Cubicle Storage

Width	30", 36"
Depth	14"
Height	24", 30", 36"



SWOF Open Folio Storage

Width	30", 36"
Depth	14"
Height	24", 30", 36"



SWCSCupboard Storage

Width	24", 30", 36", 42"
Depth	14"
Height	24", 30", 36"



SWCSOCB31 adjustable shelf, 3 cubbies

Width	24", 30", 36"
Depth	14"
Height	30", 36"



SWCCB6 6 cubbies

Width	30", 36", 42", 48"
Depth	14"
Height	24", 30", 36"



SWCF Folio Storage

Width	30", 36"
Depth	14"
Height	24", 30", 36"



SWCSL 1 door hinged left

Width	18", 24"
Depth	14"
Height	24", 30", 36"



SWOCB6 6 cubbies


Width	30", 36", 42", 48"
Depth	14"
Height	24", 30", 36"



SWCCB9 9 cubbies

Width	30", 36", 42", 48"
Depth	14"
Height	24", 30", 36"

Definitions LOCKER CABINETS



SLBO1
Base Locker
1 open unit

Width	12", 15", 18"
Depth	14"
Height	48"




SLBO2Base Locker 2 open units

Width	24", 30", 48"
Depth	14"
Height	48"



SLBO3Base Locker
3 open units

Width	36", 45", 54"
Depth	14"
Height	48"



SLTO1 Tall Locker 1 open unit

Width	12", 15", 18"
Depth	14"
Height	84"



SLTO2 Tall Locker 2 open units

Width	24", 30", 36"
Depth	14"
Height	84"



SLTO3 Tall Locker 3 open units

Width	36", 45", 54"
Depth	14"
Height	84"



SLTCR2
Tall Locker, 2 cupboard units, door hinged right

Width	24", 30", 36"
Depth	14"
Height	84"



SLTCR3Tall Locker, 3 cupboard units, door hinged right

Width	36", 45", 54"
Depth	14"
Height	84"



SLTCR6
Tall Locker, 6 cupboard units, door hinged right

Width	36", 45", 54"
Depth	14"
Height	84"



SLTO2UCS
Tall Locker, 2 open units, with upper cupboard storage

Width	24", 30", 36"
Depth	14"
Height	84"




SLTO3UCS
Tall Locker, 3 open units, with upper cupboard storage

	'	0
Width	36", 45", 54"	
Depth	14"	
Height	84"	



SLTOCB3
Tall Locker, 3 open units, with upper lower cubby units

Width	48"
Depth	16"
Height	54"




SWLCSOCB6Tall Locker, 6 open units, with upper cupboard storage

Width	36"
Depth	14"
Height	54"




Definitions TALL CABINETS


STATEMENT OF LINE



STOS Open Storage



STOSD2 4 shelves & 2 drawers



STOSD3 3 shelves & 3 drawers



STCS Cupboard Storage



STCSL 1 door hinged left

Width	18", 24", 30", 36"
Depth	14", 20", 24"
Height	84"

Width	24", 30", 36", 42"
Depth	20, 24"
Height	84"

Width	24", 30", 36", 42", 48"
Depth	20, 24"
Height	84"

Width	24", 30", 36"
Depth	14", 20", 24"
Height	84"

Width	18", 24"
Depth	14", 20", 24"
Height	84"



1 door hinged right

18", 24"

14", 20", 24"

84"




STCSD2 3 shelves, 2 drawers		
Width	24", 30", 36", 42"	
Depth	20", 24"	


84"

Height




STCSD3 3 shelves, 3 drawers






STOCB12 12 cubbies





STOCB20 20 cubbies

Width	24", 30", 36", 42", 48"
Depth	14", 20", 24
Height	84"




Width

Depth


Height

STOCB30 30 cubbies		
Width	30", 36"	
Depth	14", 20", 24"	
Height	84"	



STCCB12

	12 cubbies	
Width	30", 36"	
Depth	14", 20", 24"	
Height	84"	



STCCB20 20 cubbies

Width	30", 36"
Depth	14", 20", 24"
Height	84"



STCCB30 30 cubbies

_		
		\ <u></u>

STWR Wardrobe Storage with rod


Width	30", 36"	
Depth	14", 20", 24"	ı
Height	84"	

Width	24", 30", 36"
Depth	20", 24"
Height	84"



STWRL Wardrobe Storage with rod 1 door hinged left

Width	18", 24"
Depth	20", 24"
Height	84"



STWRR Wardrobe Storage with rod 1 door hinged right

Width	18", 24"
Depth	20", 24"
Height	84"



STWRS Wardrobe Storage with rod and 6 shelves

Width	24", 30", 36", 42", 48"
Depth	20", 24"
Height	84"




FSBFSL

Hutchinson Open Storage with Markerboard

Width	36"
Depth	20", 24"
Height	36", 54"




Definitions ATHLETIC LOCKER CABINETS




AL-241872 Athletic Locker 1 open cubby, 1 locking cubby, 1 drawer

Width	24"
Depth	18"
Height	72"




AL-241887 Athletic Locker 2 open cubbies, 1 locking cubby, 1 drawer

Width	24"
Depth	18"
Height	87"




AL-481872 Athletic Locker 2 open cubbies, 2 locking cubbies, 2 drawers

Width	48"
Depth	18"
Height	72"




AL-481887 Athletic Locker 4 open cubbies, 2 locking cubbies, 2 drawers

Width	48"
Depth	18"
Height	87"



ALCL-242472 Athletic Locker 1 locking door

Width	24"
Depth	24"
Height	72"




ALCL-242487 Athletic Locker 1 locking door

Width	24"
Depth	24"



ALCL-482472 Athletic Locker 2 locking doors

Width	48"
Depth	24"
Height	72"



ALCL-482487 Athletic Locker 2 locking doors

Width	48"
Depth	24"
Height	87"

*Consider using a Groot or Rocky bench in front of ALCL-482487 to better facilitate team interaction.

^{*}All lockers can have doors on either the right hand or left hand sides.

Definitions Ewall CABINETS



Ewall™ - SBCS-001Base Cupboard Storage with Marker Board and Upper Storage

Width	108"
Depth	20", 24"
Height	84"



EwallTM - SBCSD-001 Base Drawer and Cupboard Storage with Marker Boards, and Upper Storage


Width	108", 144", 180"
Depth	20", 24"
Height	84"



EwallTM - SBCSD-002
Base Drawer and Cupboard
Storage with Marker Boards,
and Upper Storage with TV Cabinet


Width	144", 180"
Depth	20", 24"
Height	84"

*TV Mount not included.




WSRectangular Work Surface

Width	30", 36", 42", 48", 54", 60", 72", 84", 96", 120", 144"
Depth	20", 24"




WSCS
Corner Work Surface with
Straight Edge

Corner	42, 48
Returns	2020, 2024, 2420, 2424



WSCR Corner Work Surface with Radius Edge

Corner	42, 48
Returns	2020, 2024, 2420, 2424



Rectangular Work Surface with backsplash

Width	30", 36", 42", 48", 54", 60", 72", 84", 96", 120", 144"
Depth	20", 24"



DEFINITONS CONSTRUCTION

- Cabinet construction available with 3/4" thick engineered wood side panels, sub-tops, vertical dividers and shelves. Base cabinet bottoms and all adjustable shelves over 36" in length are 1" thick engineered wood. Base cabinets do not include levellers.
- 2. Dowel construction meets AWI Premium Standards.
- 3. 1/4" thick cabinet backs.
- 4. Dowel pinned structural 3/4" stringers add rigidity.
- 5. Full 4-sided drawer boxes use:

Veneer Finish Cabinets - Hardwood veneer core plywood. **Laminate Finish Cabinets** - 3/4" thick material with Classic Maple TFL finish and PVC edges.

- 6. Drawer Slides are available in two options:
 - A: 3/4 extension slide B: Full extension slide
- 7. Shelves are adjustable on 32mm (1-1/4") increments.
- 8. Available Standard Hinges are shown on the next page.
- 9. Available Standard Pulls are shown on the next page.
- 10. Lock option:

Cam locks are chrome finished 5 disc dead bolt locks. The lock core is removable with a control key, permitting owner to easily change lock arrangements without tools.

11. Tops are available in 2 options:

Standard Top - Cabinet receives individual modular top constructed of 1-1/4" thick engineered wood with .050" high pressure laminate (HPL) and a phenolic backer sheet. Edges are 3mm PVC on front and .5mm (.020) PVC on sides and back.

Continuous Top - Cabinet will be constructed with a sub-top only. Continuous Tops are ordered as a separate line item. *Other tops are available (Epoxy, Solid Surface, etc.)*

12. Box Finish is applied to all cabinet faces.

Available in 4 options:

TFL - Thermally Fused Laminate.

HPL - High Pressure Laminate.

Veneer Oak - Grade AA plain sliced oak veneers on 3/4" industrial engineered wood core.

Veneer Maple - Grade AA plain sliced maple veneers on 3/4" industrial engineered wood core.

(Note: Toes are left unfinished on base and tall cabinets).

- Box Edge (including bottom edge of base cabinets), will be nominal .5mm (.020) PVC.
- 14. Front Finish is applied to cupboard doors and drawer fronts. Available in 5 options:

TFL - Thermally Fused Laminate

HPL - High Pressure Laminate


Veneer Oak - Grade AA plain sliced oak veneers on 3/4" industrial engineered wood core.


Veneer Maple - Grade AA plain sliced maple veneers on 3/4" industrial engineered wood core.


Framed Doors - Only available for doors.

Special veneers and exotic woods available upon request.


15. Front Edge will be 3mm PVC for TFL and HPL Finished Fronts. Veneer fronts will receive 3mm wood in coordinating finish. Other edge options are available. Contact the factory for details.







Elevation




Integral vs Continuous Top

- Cabinets are available with your choice of integral or continuous tops.
- Integral tops give you the most flexibility as your needs change. They
 allow you to move or rearrange one cabinet at a time or re-purpose
 the entire room.
- Continuous tops are a great choice also, but they require removing before you can reconfigure your space. New tops can be purchased as your needs change. Back splashes are available as well.
- Chemical resistance HPL, Trespa TopLab+ and Solid Surface tops are also available.

Continuous Top ECTL Continuous Top with backsplash ECTBL

Top Edge Options



C - Edge 3mm PVC 1/8" radius at top bottom and corners



DEFINITIONS DISPLAY TILES



STTAB
Tackable Fabric Wrapped
Acoustic Board, Frameless

Width	30", 36", 42", 48", 60"
Height	24", 30", 36", 48"
Fabric	Your choice of durable fabric



STLWLego Display
Frameless

Width	48", 60"
Height	36", 48"
Finish	Lego



STTABFTackable Fabric Wrapped
Acoustic Board, Wood Frame

Width	30", 36", 42", 48", 60"
Height	24", 30", 36", 48"
Fabric	Your choice of durable fabric



STTMBMarker Board (HPL)
Frameless

Width	30", 36", 42", 48", 60"
Height	24", 30"
Finish	White



SFTABTackable Acoustic Felt,
Frameless

Width	30", 36", 42", 48", 60"
Height	24", 30", 36", 48"
Finish	Your choice of a variety of felt colors



SFTABF Tackable Acoustic Felt Wood Frame

Width Height	30", 36", 42", 48", 60" 24", 30", 36", 48"
Finish	Your choice of a



SWDP Slatwall (HPL/Veneer)

Width	36", 48", 60"
Height	48", 60", 72"
Finish	Your choice of HPL or Veneer





Slatwall Display Tiles are available in HPL or Veneer with unfinished slits in black PVC or aluminum.

Top Left: Slatwall Display Tiles with Derby table and Full Time ottomans. Top Right: Fabric Wrapped Display Tile.

Bottom Left: Lego Display Tiles with Drift Bench & TOTO Totes. Bottom Right: Tackable Acoustic Felt Display Tile (wood framed).







WORKSPACE DISPLAY TILES



WTAB
Tackable Fabric Wrapped
Acoustic Board, Frameless

Width	30", 36", 42", 48", 60"
Height	18", 24", 30"
Fabric	Your choice of durable fabric



WFTABTackable Acoustic Felt,
Frameless


Width	30", 36", 42", 48", 60"
Height	18", 24", 30"
Finish	Your choice of a variety of felt colors



WTMB Marker Board (HPL) Frameless

Width	30", 36", 42", 48", 60"
Height	18", 24", 30"
Finish	White







ACCESSORIES



A30GWire Grommet
Adjustable hole openings
80mm diameter



ACG-5B Plastic Cable Grip Black 5.25"L x 1.75"W 1.5"H



AVM32-VERTS2
Vertical Wire Management
Flexible coil design
High-impact ABS material
2.75" inside diameter
Stretches to over 70"



AWM48
PVC Wire Management Channel 2.5" W x 1.5"H x 48"L



ENSEMBLE

In-Surface Power Panel Configurations: 2 AC / 1 USB / 1 USB-C USB Ports 5V, 3.1A total. Available in white, black or nickel finish with 72" or 120" cord.

2 AC/1 USB/1 USB-C	
AEMB-2P1UC-72-W 72",	white
AEMB-2P1UC-72-B 72",	black
AEMB-2P1UC-72-N72",	nickel
AEMB-2P1UC-120-W 120",	white
AEMB-2P1UC-120-B 120",	black
AEMB-2P1UC-120-N 120",	nickel



JOLT

On-Surface Power Monument
Configurations: 4 AC or
2 AC / 1UC / O
Dual USB Ports 2A total.
3" diameter hole cutout. Suitable for
countertops 0.75 to 1.5" thick.
Available in white or black finish with
72" or 120" cord.

12 01 120 0010.
4 AC
AJLT-4P-72-W 72", white
AJLT-4P-72-B 72", black
AJLT-4P-120-W
AJLT-4P-120-B120", black
2 AC/1 USB /1 USB-C/1 Open
AJLT-2P1UC1O-72-W 72", white
AJLT-2P1UC1O-B 72", black
AJLT-21UC1O-120-W120", white
A.II.T-2P1LIC1O-120-B 120" black



BACKSTOP

On-Surface Power
Configurations: 2 AC / 1 Dual USB
or 3 AC and 1 Dual USB
Mounting bracket kit includes
several mounting options for use
under and above work surfaces.
Smart charging capability recognizes
devices and when to shut off during
peak loads. Availbale in white/grey
and black. 72" cord

2 AC/1 Dual USB	
ABTP-2P2U-72-W72	" white/grey
ABTP-2P2U-72-B	72", black
3 AC/1 Dual USB	
ABTP-3P2U-72-W72	" white/grey
ARTP-3P2LI-72-R	72" hlack



SPARKY

In-Surface Power
Configurations: 1 AC / 1 USB /
1 WCS
15 Amp Power Simplex
USB Port is 2 amps
5 Watt Qi Charging Coils
Compatible with all Qi enabled
smart phones and devices
Available in white or black with 72"
or 120" cord.

1 AC/1 USB/1 WCS

SPK-1P1U1WCS-72-W72" w	HILL
SPK-1P1U1WCS-72-B72", bl	ack
SPK-1P1U1WCS-120-W 120", w	hite
ACSPK-1P1U1WCS-120-B120", bl	ack



TOT03 Tote Bin 3"D

Co-polymer polypropylene tote. Suitable for use with rails or in cubbies. Available in 10 colors. 3"H x 12.25"W x 15.25"D Tote Rails (sold separately)

TOTR-PR-T15 TOTR-LH-T15 Pair of tote rails
Left hand tote rail
Right hand tote rail



TOT06 Tote Bin 6"D

Co-polymer polypropylene tote. Suitable for use with rails or in cubbies. Available in 10 colors. 6"H x 12.25"W x 15.25"D Tote Rails (sold separately)

TOTR-PR-T15 TOTR-LH-T15 TOTR-RH-T15 Pair of tote rails Left hand tote rail Right hand tote rail



ACPU-CS-10

CPU Holder Under desk mounting kit Width adjusts from 5.25" to 9.25" Height adjusts from 15.375" to 21"



ACPU-CS-11

Rotating CPU Holder Under desk mounting kit Width adjusts from 5.25" to 9.25" Height adjusts from 15.375" to 21" Rotates 180 degrees

Things to Consider:

- Elements and Transition run on the same mounting tracks and are able to be integrated together.
- Elements products are sold as module units.
- Transition products can be purchased in kits (product groupings), individual products and individual product components.
- Elements products have backs and Transition products are open in the back to expose the wall.
- Elements and Transition can be supplemented with supporting plastic feet beneath them.
- New school construction can acheive reduced product life cycle costs and in some occasions initial cost savings.
- We build our casegoods like furniture. This means that the interior of the casework will be finished in the same way as the outside.

casegoods-240326

