

# ENGAGE

---

## Chairs & Stools



ENA-2529-4S

29"D X 25"W X 33.25"H, SEAT HEIGHT 18"

# ENGAGE



ENA-2529-4D



ENAW-3035-4D



ENATR-2529-4C



EN-3029-4D



ENR-5129-4D



ENA-2529-RB

## ENGAGE

- Engineered solid alder hardwood frames.
- High-resilience long lasting polyfoam.
- Arms or armless chair or loveseat.
- \*Several models available to create a multitude of configurations.
- Powder coated steel post legs, steel Duo legs, wood, caster or Rocker Base available.
- Steel legs are equipped with leveling glides.

## To Order, Choose Finish Selections & Options

**Seat Cushions:** Select fabric grade and pattern.

**Legs/Rocker Base:** Select leg style and wood veneer/Spray-On or powder coat finish, as applicable to chosen leg/base. **Note:** Wood and Rocker Base receive wood veneer while post leg and Duo leg receive powder coat. -RB only available on EN-3029 & ENA-2529

**Table Surface:** Choose from our selection of high pressure laminates and PVC edges, if applicable.

**Tablet Arm:** Choose from our selection of powder coats, if applicable.

See **mediatechnologies'** finish choices at  
<https://www.mediatechnologies.com/resources/finishes>  
View our fabric choices at  
<https://www.mediatechnologies.com/resources/fabrics>

### General Specifications

**Seat:** Engage seat is constructed with 4/4 Alder hardwood and is glued and stapled. 4/4 hardwood corner blocks are glued and stapled to the inner seat frame. The seat is then covered with 5" of foam with 1.8 density and a 36 ILD rating.

**Back:** The back is constructed with 4/4 Alder hardwood and is glued and stapled. 4/4 hardwood corner blocks are glued and stapled to the inner back frame. The back is then covered with 2.5" of foam with 1.8 density and a 24 ILD rating. The back is secured to the seat with T-nuts and 4 bolts.

**Arms:** are constructed with 4/4, 5/4 and 6/4 Alder hardwood and is glued and stapled. 4/4 hardwood corner blocks are glued and stapled to the inner frame. The arms are then prepared with emelin and covered with 1/2" of foam. Arms are attached to the seat and back frame with T-nuts and 3 bolts. Note: Arms are identified as "right" or "left" from the perspective of one who is seated in the seat.

**Tablet Arm:** Tablet arm work surface is 3/4" thick. Top of work surface is .050 highpressure laminate with .030 phenolic backer. Work surface is mounted to a powder coated steel tube which is fixed to the seat frame. Edgebanding is 3mm PVC.

**Metal Legs:** Steel post leg is a 16 GA 1-1/2" round 3-1/2"H tube style leg weldment with a 3-1/2" x 3-7/8" steel mounting plate and a 1-7/8" black leveling glide. Customer specifies powder coat color.

**Metal Duo Legs:** Legs are fabricated from 5/16" plate steel and include a curved profile with a square mounting plate. The bottom of each leg is fitted with a threaded weld nut and a 1-7/8" black levelling glide.

**Castors:** Casters are Softec, twin-wheel, 75mm diameter and non-locking. All models that include casters also receive a lift handle mounted to the rear of the seat back.

**Rocker Base:** Two 5/4 Hardwood rails. Thermally Fused Laminate board make up the rocking base. Base is attached to the Engage seat using screws.

**Wood Post Legs:** Wood post 3-1/2" x 3-1/2" with a 45° chamfer bottom edge. Posts are attached via 5/16"-18 bolt, washer and propeller nut. Can be finished in any desired wood stain.

**Connectivity Options:** Engage Seating can be fitted with connectivity accessories on the right or left side of the seat. Use the suffix -ER to indicate connectivity location to be the right side or use -EL to indicate connectivity location to be the left side. Note: "Right" and "left" are determined from the perspective of one who is seated in the seat.

# ENGAGE OPTIONS



## ENGAGE SEAT STANDARD SIZES

MODEL	ARMS	DEPTH"	WIDTH"	SEAT HEIGHT"
				OVERALL HEIGHT 33.25"
EN-3029-	R & L	29	30	18
ENL-2829-	LEFT	29	28	18
ENR-2829-	RIGHT	29	28	18
ENA-2529-	NONE	29	25	18
ENATL-2529-	TABLET ARM L	29	25	18
ENATR-2529-	TABLET ARM R	29	25	18
ENAW-3035-	NONE	35	30	18

## ENGAGE DOUBLE SEAT STANDARD SIZES

MODEL	ARMS	DEPTH"	WIDTH"	SEAT HEIGHT"
				OVERALL HEIGHT 33.25"
EN-5329-	R & L	29	53	18
ENL-5129-	LEFT	29	51	18
ENR-5129-	RIGHT	29	51	18
ENA-4829-	NONE	29	48	18

## LEG & BASE OPTIONS



Metal Leg



Metal Duo Leg



Wood Post Leg



75mm Caster



Rocker Base

MODEL NUMBER SUFFIXES FOR LEGS, CASTERS & ROCKER BASE (models with casters receive lift handle)

- 4D – metal Duo legs
- 2D – 2 Duo legs and 2 casters
- 4S – 4 metal legs
- 2S – 2 metal legs and 2 casters
- 4W – 4 wood legs
- 2W – 2 wood legs and 2 casters
- 4C – 4 casters
- RB – Rocker Base

**Note:** Engage Rocker Base is available only on EN-3029 & ENA-2529 Engage units.

## CONNECTIVITY



DUET Power Unit  
ADUF-1P2U-72-W

### DUET

- For use in upholstered furniture
- 1 Power / 1 Dual USB
- 2 amps each USB charging port
- UL Listed
- Face mount shown
- White, silver and black face plate available
- 72" and 120" cords available

! Connectivity panels can only be mounted on the side surfaces of Engage seating.

MODEL NUMBER SUFFIXES FOR POWER/CONNECTIVITY (after legs) (no designation) - no power/connectivity panel

- EL - Power/connectivity panel on left side
- ER - power/connectivity panel on right side

## HANDLE OPTIONS



Lift Handle



cs-engage-221025

892 Industrial Park Drive  
Shelby, MI 49455  
P: 231.861.2194  
F: 231.861.6678  
www.mediatechnologies.com  
sales@mediatechnologies.com

PURE MICHIGAN®