

# VECTOR

---

## Occasional Tables



VT-C2424-22

24"D X 24"W X 22"H

# VECTOR



VT-C2448-18  
Rectangle



VT-C0030-18  
Round



VT-C2424-18  
Square

## VECTOR OCCASIONAL TABLES

- Table top available in high pressure laminate or optional veneer.
- Leg frames are weldments of 14-gauge steel tubing connected by means of machine bolts for a rigid assembly.
- Legs are fitted with adjustable glides.

### To Order, Choose Finish Selections & Options

**Table Top:** Choose your high pressure laminate.

**Edges:** Choose from our selection of PVC edgeband colors.

**Steel Frame:** Choose from our selection of powder coats.

See **mediatechnologies'** Finish and Color Guide for choices at [www.mediatechnologies.com](http://www.mediatechnologies.com).

### VECTOR RECTANGULAR STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
VT-C2448-	24	48	18/22

### VECTOR ROUND STANDARD SIZES

MODEL	DIA"	HEIGHT"
VT-C0030-	30	18/22

### VECTOR SQUARE STANDARD SIZES

MODEL	WIDTH"	LENGTH"	HEIGHT"
VT-C2424-	24	24	18/22
VT-C3030-	30	30	18/22

### General Specifications

**Table Top:** Table tops are 1-1/4" thick, three-ply engineered wood construction, with .050" high-pressure laminate (HPL) surface and a phenolic backer. The standard edge is 3mm PVC. Tops 60" and over are supported on the underside with a 14 gauge steel keel.

**Legs:** The legs are 2-1/4" solid glued up red oak with a 3/8" radius on all long edges. They are attached to the top by means of a 5"x5/16" steel plate. The leg and the plate are joined by (2) 5/16-18 machine bolts screwed into a 1/2" diameter barrel nut which is embedded in the leg. The steel plate is attached to the table top by (5) 5/16-18 machine bolts which screw into 5/16-18 metal insert embedded in the top. Each leg is equipped with a leveling guide.



cs-vector-occasional-190220

892 Industrial Park Drive  
Shelby, MI 49455  
P: 231.861.2194  
F: 231.861.6678  
[www.mediatechnologies.com](http://www.mediatechnologies.com)  
[sales@mediatechnologies.com](mailto:sales@mediatechnologies.com)

PURE MICHIGAN®